




Designing living spaces

MEISTER

100 %
PRO | Producer
Dealer
Craftsmen
www.meister.com

Rooms full of life.

Welcome to **MeisterWerke!**



We have been passionately developing and making products for rooms full of life for many years. At our company headquarters in Rütten-Meiste, in the beautiful region of Sauerland, it is our daily challenge to perfect these and therefore ensure the greatest benefit for our customers. Our love of innovation is evident in everything: in our huge range, in our company and in the way that we work together. Always collaboratively and fairly but also purposefully and reliably. Our company motto is: a Meister-Werke masterpiece every day!

As a family-run company we also think about future generations. That's why respect for nature and natural resources is a matter of course for us. We place great importance on environmentally sound origin and short transport routes when choosing our materials. Independent testing institutes verify that the materials used are harmless. Resulting in products that combine top quality, maximum comfort and a great feeling year after year. For your rooms full of life.



Content

Introduction	2
Longlife parquet	4
Lindura wood flooring	36
Design flooring	48
Cork and linoleum flooring	62
Nadura	76
Laminate flooring	86
Panels	112
Decor overview	118

MEISTER



www.meisterwerke.com





Longlife parquet – real wood stays beautiful for longer

Totally natural, wonderfully warm, very durable and extremely attractive – parquet is all of these. The classic among flooring brings atmosphere to every room with wood. Everyone will find their personal favourite with many different woods, formats and finishes – that's a promise!

Longlife parquet: parquet for life!

The parquet from MEISTER is

called Longlife parquet, as we know:

MEISTER parquet simply lasts longer!

The reason for this is the sophisticated

technology invested in Longlife parquet.



Stable

Longlife parquet is extremely durable and very resilient. This is ensured by an extremely dimensionally stable and high quality HDF (HDF = High Density Fibreboard) middle layer. It stabilises the surface and largely makes it insensitive to pressure.



Energy-saving

Parquet on underfloor heating? Not a problem for Longlife parquet as it transports the heat from hot water underfloor heating to the surface quickly and without losing much energy. The reason: in contrast to standard spruce boards, in the high density HDF middle layer there are hardly any air pockets that might have a heat insulating effect. As a result, the heat from the underfloor heating gets to where it should, your room, unhindered. This not only guarantees a high level of living comfort but also optimised heating costs.

Quiet

Our parquet reduces noise from developing with a very simple principle: greater mass produces less vibrations. By using a HDF middle layer the plank's own weight is increased by approx. 50 percent. The result: less vibrations, less room noise – more quiet.

Ecological

MEISTER Longlife parquet actively contributes to environmental protection. As a result of the perfect combination of the 2.5 mm fine wood wear layer and the special HDF middle layer, only roughly a tenth of wood, a valuable resource, is required to produce MEISTER parquet, compared to a solid wood floor.

Easy to install

Longlife parquet is easy, quick and safe to install. Our innovative locking systems ensure easy installation, maximum precision fit and permanent joint locks. By the way: this also applies to so-called floating installations where the floor is not bonded.

Healthy living

Our Longlife parquet is a natural product. It regulates humidity and ensures a healthy living climate. These floors are particularly hygienic thanks to them being easy to clean and maintain. You can be sure that all the processed raw materials are carefully selected and subjected to regular tests in our labs.

Award-winning

MEISTER Longlife parquet



except for: Smoked oak



The mark of responsible forestry



MEISTER



Longlife parquet

Classic: parquet is this easy!



PC 200 | 2400 x 200mm



PD 200 | 2200 x 180mm



PD 150 | 900 x 180mm



Infinitely comfortable:
Nature rules here!






Wonderfully compact: the pocket plank.

Plenty of variety and a strong play on colours and structure? It's possible even with not much space! The pocket plank from MEISTER is the little star in the Classic range with less than one metre in length and trendily shows how natural parquet can look even in smaller rooms.



Longlife parquet Classic | PD 150 | Distinctive golden brown oak 8537 | brushed | matt laquered





Longlife parquet Classic | PD 150 | Distinctive oak 8532 | brushed | naturally oiled



Longlife parquet

Premium:

Floors that mean the world.



PQ 500 | 485 x 485mm



PS 300 | 1187 x 142mm



PS 400 | 500 x 100mm



PS 500 | 710 x 142mm



PD 400 | 2200 x 180mm



PD 450 or PC 400 | 2400 x 255mm



PD 550 | 3650 x 220mm or 4200 x 260mm





Longlife parquet Penta | PD 450 | Light oak harmonious 8176 | brushed | matt lacquered



Longlife parquet Penta | PD 450 | Pure oak lively 8595 | brushed | matt lacquered

Longlife parquet

Penta: Welcome to the premiere league!

»Penta« is anything but an understatement:
spaciousness sets the tone in this collection with lively
and harmonious oak surfaces!

Longlife parquet

Cottage: the classic plank

Sometimes just that little bit more is required: more cosiness, more expanse, more ambience. The planks in the Longlife parquet »Cottage« collection are right at the forefront when it comes to this. Naturally oiled, matt or high-gloss lacquered, rustic or harmonious – the main thing is that it is right. For you and for your home.



Longlife parquet Cottage | PD 400 | Authentic brown-grey oak 8555 | brushed | naturally oiled





Idyllic? With pleasure!







Longlife parquet

Residence:

The modern

celebrates the past.



MEISTER



Longlife parquet Residence | PS 500 | Natural pearl oak 8569 | matt lacquered




Back to the future. A classic reinterpreted.

Herringbone is a classic among parquet installation. Spacious dimensions and contemporary surface finishes breathe fresh life into the floor. Individualists will find a parquet with which they can realise their very own interior design ideas in the here and now. By the way, in other ways of laying too, such as square or lattice pattern.



Maxi format planks:

The PS 300 residence version scores with spacious strips and lays the foundation for a whole range of different living styles.



Longlife parquet Residence | PS 300 | Oak harmonious 8027 | brushed | matt lacquered





Longlife parquet

Style:

Live life a bit unusually

What makes modern floors? Style, style, style!
The trend sets the tone in this collection and
steadfastly shows how stylish (flooring) fashion can be.




Longlife parquet Style | PQ 500 | Pure oak country 8271 | planked, brushed | naturally oiled



Longlife parquet Style | PC 400 | Oak country 8263 | planked, brushed | naturally oiled

Caution:
life meets style!



Longlife parquet Style | PC 400 | Pure oak country 8598 | brushed, planked | naturally oiled

What actually do »lacquered« or »naturally oiled« mean?

Wood is a valuable, natural resource that we transform into something really special with total respect and a sensitive touch. Our surface finishes with high quality oils or lacquers accentuate the respective wood's character and provide it with permanent protection.

...lacquered

The lacquer is a special surface treatment that makes our Longlife parquet extremely durable and easy to clean. The Duratec Plus lacquer seal consists of seven layers in total, the mixture of lacquers in the individual layers and their order takes into account that parquet floors may possibly be sanded down. The entire construction consists of a formaldehyde-free and ecologically non-harmful acrylic lacquer.

The lacquer is available in three looks, lacquered, high-gloss lacquered and matt lacquered.

The high-gloss lacquer looks extremely luxurious, matt lacquer on the other hand really brings out the best in many woods. It receives a warm, natural look from this.



high-gloss lacquered



lacquered



matt lacquered

...naturally oiled

Natural oils and waxes are the basis for our Longlife parquet's naturally oiled surfaces. Weartec® Nature penetrates deep into the wood and forms a protective, breathable surface. This kind of finish creates a natural appearance with subtle brilliance, emphasises the grain as well as structure, regulates humidity and ensures a healthy living climate. All Longlife parquet floors with Weartec® Nature finish are treated ready for residential use and do not have to be treated with oil after installation. However, the naturally oiled surface does require a regular polish, which gives the floor a natural shine and ensures exceptional resistance. If required, it can be re-oiled and partly refinished without any sanding down.



naturally oiled

What actually does »grading« mean?

In nature no one tree is like another and even within one tree the wood can have various different types of looks. Exactly the same applies to parquet: as a living piece of nature, no plank is the same as any other, each single one is characterised by its structure, play on colours as well as surface treatment and finish. Resulting in different looking floors that significantly shape the overall impression of a room.

Our Longlife parquet in eleven gradings opens up a whole variety of options for you to find the most beautiful basis for your home.



Harmonious

It's all about the natural mix: for the »harmonious« grading we choose woods with a calm look as well as a balanced and natural play on colours. They contain few tightly intergrown knots and brownwood and do not have any sapwood. Occasional, professionally filled cracked knots may appear in the PD 450 collection.



Ambience

For a calm overall look: Planks in this grading have a natural play on colours with a few small knots. Sapwood and slight cracks ensure the balanced interplay between liveliness and elegance.



Natural

Small knots both intergrown and professionally filled and a few occasional cracks ensure a balanced overall look. Small cracks that cannot be filled and knots may appear.



Lively

In this grading we deliberately offer surfaces with strong colours and structures, which emphasise the wood's natural character. Healthy knots, sapwood and brownwood are part of the overall lively image. Our oak planks and oak maxi strips do not have any sapwood. Cracked knots are professionally filled. Small cracks that cannot be filled and knots may appear.



Vital

Real woods with a distinctive play on colour and structure provide the basis for this grading. Larger knots and occasional cracks enhance the overall lively appearance. There is no sapwood with this grading. Cracked knots and cracks are professionally filled. Small cracks that cannot be filled and knots may appear.



Mountain

Based on the »distinctive« grading with its strong colours and structures, more sapwood and brownwood and distinctive knots, all cracked knots and cracks are deliberately unevenly filled and marked.



Authentic

Based on the »vital« grading, cracked knots and cracks are deliberately unevenly filled and marked here. This lends the laid floor a natural, really lively appearance.



Rustic

In this grading we deliberately offer surfaces with strong colours and structures, which emphasise the wood's natural character. Larger knots, occasional cracks and sapwood are part of the overall rustic image. Cracked knots and cracks are professionally filled. Small cracks that cannot be filled and knots may appear.



Country

Real woods with a distinctive play on colour and structure form the basis for this grading. Larger knots and occasional cracks are deliberately unevenly filled and marked and enhance the overall lively appearance. Together with the unevenly produced joint patterns between the individual strips and on the planks a really impressive surface results.



Canyon

In this grading, oak surfaces with a really special overall rustic impression and distinctive play on colours and structure are used. The natural and raw character of the floor is emphasised by larger knots and varying degrees of cracks, which are deliberately unevenly filled and marked.



Distinctive

An interesting, powerful play on colours and structures emphasises the distinctive character of this floor. Sapwood and brownwood as well as distinctive knots and occasional cracks define the floor's impressive appearance. Cracked knots and cracks are professionally filled. Small cracks that cannot be filled and knots may appear.

100 % natural

Longlife parquet is a natural product. Therefore differences in colour and structure are an expression of its authenticity. Wood is subject to typical changes in colour when exposed to direct sunlight. Depending on the intensity and light effect, light woods get darker or a yellow tinge. Darker woods get lighter. With smoked Longlife parquet there are very specific shades of colour. The differences in colour on individual planks and from plank to plank caused by the varying tannin content in the wood is what distinguishes the natural parquet product.



Longlife parquet Cottage | PD400 | Cream oak lively 8543 | brushed | matt lacquered

Our care advice for Longlife parquet



First clean after installation

Once the floor has been installed, you have to subject it to a thorough clean before it is used for the first time («cleaning after construction work»). In doing so you remove the dirt and dust caused by the installation and prepare the floor for future use.

To clean naturally oiled MEISTER Longlife parquet use CC Wood Care diluted with water in a ratio of 1:200, to clean lacquered and matt lacquered Longlife parquet use CC Wood and Cork Floor Cleaner.

The floor should be wiped damp using a lint free cloth, which has been dipped in this solution and wrung out well. For commercial areas and areas which are particularly highly frequented, we recommend subsequent treatment with a suitable care oil for naturally oiled surfaces.



Regular cleaning

Normal vacuum cleaning or sweeping is perfectly adequate to remove everyday dirt. For regular cleaning and care please use CC Wood Care or CC Wood and Cork Floor Cleaner diluted with water in a ratio of 1:200. Wipe the floor damp using a lint free cloth, which has been dipped in this solution and wrung out well, as with cleaning after construction work.




Refreshing and re-oiling (approx. once a year)

We recommend refreshing your naturally oiled MEISTER Longlife parquet with CC H₂Oil to keep it looking beautiful for a long time as soon as the first signs of wear appear. If the floor has just a normal level of dirt clean it beforehand using CC Wood Care (1:200), it is best to use a disk buffing machine with larger areas. Ask your retailer about hiring one! After the floor has dried completely, apply CC H₂Oil undiluted very thinly and evenly using a lint free mop. Leave the area to dry for at least 12 hours before use.

To preserve the quality of lacquered and matt lacquered surfaces we recommend using CC Wood and Cork Floor Polish matt.

Alternatively, the Osmo products are available for naturally oiled floors too (Osmo Wash and Care, Osmo Liquid Wax Cleaner, Osmo Polyx® Oil 3062 matt).



Lindura – a strong character.

Lindura is an innovative floor in the real wood flooring range from MEISTER that is based on wood powder technology. A real wood covering layer, wood powder, an HDF middle layer and wood powder backing are permanently »fused together« under pressure and heat. Resulting in floors that are tough, pleasantly warm to the foot, resistant and easy to clean. The high quality real wood covering layers made from oak, larch and walnut give Lindura a particularly natural appearance.



Lindura | HD 300 | Olive grey rustic oak 8511 | Vintage structure, brushed | naturally oiled



Lindura:

A strong character.
Unique. Beautiful!



HD 300 | 2600 x 320mm



HD 300 | 2200 x 270mm



Lindura | HD 300 | Olive grey rustic oak 8511 | Vintage structure, brushed | naturally oiled

Real wood with depth

Naturally oiled Lindura planks stand for a distinctive rustic nature: knots, cracks and wooden pores are emphasised particularly due to the unique production process. With a rich play on colours, each plank is a greeting from nature and is unique from every perspective.



The used look of the naturally oiled Lindura planks blends superbly into a rustic ambience and creates special accents in modern interiors. The tough floors gain maturity and a sheen during the course of their life and are therefore also ideal for rooms with heavy wear.



Lindura | HD 3001 Olive grey rustic oak 8511 | Vintage structure, brushed | naturally oiled





Lindura | HD 300 | American walnut lively 8523 | matt lacquered



Top performance.

Anyone who prefers things a little less rustic can choose a matt lacquered surface: the calm and harmonious overall impression is perfect here!

High-tech meets nature

Lindura not only scores due to its stylish look. The technical properties are also impressive.



Robust

Lindura loves challenges and even takes high heels at a party in its stride.



Durable

A comparison test in our laboratory clearly shows: a metal ball dropped with 4,000 newtons of pressure leaves behind a clearly visible dent on standard parquet. With Lindura wood floors there are hardly any traces to be seen.



Easy to clean

Regularly cleaning Lindura is the easiest thing imaginable with care products from MEISTER! Simply dilute the right product from the MEISTER parquet care range for naturally oiled or lacquered surfaces in water for maintenance cleaning. Regular re-oiling is recommended to preserve the quality of a naturally oiled Lindura surface.



Healthy living

Lindura is a natural product. All the materials used are selected carefully and are subject to regular tests in our labs. The installed floor regulates humidity and ensures a healthy living climate. It is particularly hygienic thanks to it being easy to clean and maintain. As a result this high-tech wooden floor allows for environmentally friendly and healthy living.



Energy-saving

Thanks to the special product structure, Lindura's thermal resistance is particularly low at 0.084 m² K/W combined with the MEISTER Silence 25 DB insulating underlay. With a floating installation, the floor covering on top of a hot water underfloor heating should also not exceed the limit of 0.15m²K/W laid down by regulations* in order to quickly transport the heat supplied to the surface.

Award-winning

MEISTER Lindura



* Federal Association of Surface Heating and Surface Cooling e.V.

Our care advice for Lindura flooring



First clean after installation

Once the floor has been installed, you have to subject it to a thorough clean before it is used for the first time («cleaning after construction work»). In doing so you remove the dirt and dust caused by the installation and prepare the floor for future use.

To clean naturally oiled Lindura wood flooring use CC Wood Care diluted with water in a ratio of 1:200. To clean matt lacquered Lindura use the CC Wood and Cork Floor Cleaner.

The floor should be wiped damp using a lint free cloth, which has been dipped in this solution and wrung out well. For commercial areas and areas which are particularly highly frequented, we recommend subsequent treatment with a suitable care oil for naturally oiled surfaces.



Regular cleaning

Normal vacuum cleaning or sweeping is perfectly adequate to remove everyday dirt. For regular cleaning and care please use CC Wood Care or CC Wood and Cork Floor Cleaner diluted with water in a ratio of 1:200. Wipe the floor damp using a lint free cloth, which has been dipped in this solution and wrung out well, as with cleaning after construction work.



Refreshing and re-oiling (approx. once a year)

We recommend refreshing your naturally oiled MEISTER Longlife parquet with CC H2Oil to keep it looking beautiful for a long time as soon as the first signs of wear appear. If the floor has just a normal level of dirt clean it beforehand using CC Wood Care (1:200), it is best to use a disk buffing machine with larger areas. Ask your retailer about hiring one! After the floor has dried completely, apply CC H₂Oil undiluted very thinly and evenly using a lint free mop. Leave the area to dry for at least 12 hours before use.

To preserve the quality of matt lacquered surfaces we recommend using CC Wood and Cork Floor Polish matt.

Alternatively, the Osmo products are available for naturally oiled floors too (Osmo Wash and Care, Osmo Liquid Wax Cleaner, Osmo Polyx® Oil 3062 matt).

Top performance.

Wood is a valuable, natural resource that we transform into something really special with total respect and a sensitive touch. Our surface finishes with high quality oils or lacquers accentuate the respective wood's character and provide it with permanent protection.



Matt lacquered Lindura wood flooring

Matt lacquer really brings out the wood's character. The wood receives a warm, natural look from this.

The environmentally friendly Duratec lacquer seal on the Lindura wood flooring is extremely durable and easy to clean. The entire composition consists of a formaldehyde-free, UV-hardened and ecologically non-harmful acrylic lacquer. This lacquer is particularly hard as, unlike with other parquet flooring, it does not have to be taken into account that the floor may possibly be sanded down.



Naturally oiled Lindura wood flooring

Natural oils and waxes are the basis for our naturally oiled Lindura surfaces. Weartec® Nature penetrates deep into the wood and forms a protective, breathable surface. This kind of finish creates a natural appearance with subtle brilliance, emphasises the grain as well as structure, regulates humidity and ensures a healthy living climate. All Lindura floors with Weartec® Nature finish are treated ready for residential use and do not have to be treated with oil after installation. However, the naturally oiled surface does require a regular polish, which gives the floor a natural shine and ensures exceptional resistance. If required, it can be partly refinished.

What actually does »grading« mean?

In nature no one tree is like another and even within one tree the wood can have various different types of looks. Exactly the same applies to parquet and Lindura wood flooring too: every single plank is characterised by its structure, play on colours as well as surface treatment and finish. Resulting in different looking floors that significantly shape the overall impression of a room.



Natural

For the »natural« grading we choose surfaces with a balanced play on colours. Healthy tightly intergrown knots and occasional cracks are part of the floor's overall natural look. The wood powder technology ensures perfectly filled cracked knots and cracks.



Lively

In this grading we deliberately offer surfaces with strong colours and structures, which emphasise the wood's natural character. Healthy distinctive knots and splints are part of the overall lively image. Cracked knots and cracks are – just like the grading »natural« – filled perfectly using wood powder technology.



Rustic

This grading provides a rustic appearance with an interesting play on colours and structures. Healthy distinctive knots are not limited in their diameter or frequency. The natural and raw character of the floor is emphasised by larger knots and varying degrees of cracks, which are individually filled using wood powder technology.



Design flooring Catega® Flex | DD 300 | Old wood oak 6954 | Wood finish matt structure



Design flooring –
healthy floors with style
and format

Design flooring – a floor for all eventualities.



A breath of fresh air for any room: With its totally modern look design flooring shows off its best side in any room. It is the healthy living alternative to vinyl, as good design flooring is made without using any PVC and harmful plasticisers.



Design flooring is really uncomplicated flooring and is made for healthy and beautiful living. Modern surfaces meet innovative production technologies here. As a result, floors are created that more than meet all the requirements for perfect design, strength and durability.



Design flooring impresses with its trendy wood effects from classic oak to light maple and totally modern vintage wood. It is extremely warm to the foot and therefore the very first choice for children's bedrooms.




Award-winning

MEISTER Design flooring



Only for Design
flooring Premium



As extremely thin flooring it is perfect for renovations, because the annoying sanding of doors and frames is simply not required.

MEISTER



Design flooring

Classic:

A simply beautiful flooring.



DD 85 | DD 85 S | 1290 x 245mm



DC 75 | DC 75 S | DD 75 | DD 75 S | 1290 x 194mm



Design flooring Classic | DD 85 | Ceramica 6979 | Stone pore structure

Flexible. Compact. Easy to clean.

Do you like modern design? But comfortable nevertheless? Then the Classic design flooring is the right choice for you. Design flooring is uncomplicated flooring and is made for healthy and beautiful living. Modern surfaces meet innovative production technologies here. As a result, floors are created that more than meet all the requirements for perfect design, strength and durability. From »Cinnamon Oak« to »White Island« there are floors in 8 thrilling, beautiful and trendy decors and two different widths – real design flooring in fact.





Design flooring Classic | DD 75 | White Island 6961 | Wood finish matt structure

And it doesn't just look good! Classic design flooring is extremely warm to the foot and therefore not just the very first choice for children's bedrooms. Renovators will love it too: as extremely thin flooring Classic design flooring fits into any room. Annoying and laborious trimming of doors and frames is therefore unnecessary in many cases. Classic design flooring, in contrast to many vinyl floors, is perfect for installing on existing subfloors, for example tiles. Sub-floors do not show through thanks to the special stable AquaSafe board.

See for yourself: this floor is really very simple! And at the same time good for you, your home and the environment. Classic design flooring does not use any PVC or harmful plasticisers at all and is therefore a healthy living alternative to many vinyl floors – the Blue Angel confirms this. On top of all this, the floor is hygienic and hypoallergenic thanks to easy cleaning.

The SilentTouch®- technology

The Classic design flooring surface is produced using the innovative, patented SilentTouch® technology and is therefore extremely elastic, quiet, durable and easy to clean.

SilentTouch®
Made under license from PurChem Systems, Inc. Patented

Design flooring
Premium:
Healthy living can
be this beautiful.



DD 350 S | 2120 x 240mm



DD 300 | DD 300 S | 2150 x 216mm





Design flooring Catega® Flex | DD 300 | Old wood pine 6951 | Wood finish matt structure

Design flooring Catega® Flex:

The sum of all floors

A floor that is warm to the foot, attractive, easy to clean, durable, without any plasticisers, easy to install and ideal for renovations – it's not a fairytale but a real dream for your home. The Catega Flex floor innovation makes you want to stay at home and cuts a fine figure across the board. From authentically natural to somewhat unusual, 18 decors provide a rich variety of different looks.

The inner values are naturally impressive too: With just 5 mm installation height but generous plank format, the Catega Flex is sleek and slimline and can be easily and securely installed using Multiclic. At the same time it is also perfect for healthy living: Catega Flex does not contain any PVC and artificial plasticisers.



The SilentTouch®- technology

The Catega® Flex design flooring surface is produced using the innovative, patented SilentTouch® technology and is therefore extremely elastic, quiet, durable and easy to clean.

SilentTouch®
Made under license from PurChem Systems, Inc. Patented



Design flooring Tecara | DD 350 S | Old wood oak 6972 | Woodlike structure

Design flooring Tecara: An extra portion of comfort

Tecara is the design flooring with an extra portion of comfort: a cork layer under each high quality Puretec® surface and underneath ensure elasticity that is easy on the joints and minimum noise development – for a maximum sense of well-being! The outer values are also spot on. The wood structures embossed into the surface make this collection's decor look totally authentic. Obviously, we never use PVC and phthalates with this design flooring either. As we believe: a floor should only contain ecologically sound components that are completely harmless to health!



MEISTER

Design flooring Tecara | DD 350 S | Distinctive grey white oak 6971 | Woodlike structure




Cork flooring Classic

Naturally quiet

Inspired by nature and timelessly beautiful: cork is a classic among natural flooring. And quite rightly too! It impresses for example with its ecological advantages. No trees have to be cut down to produce cork – the huge cork oaks are simply »shelled« and can therefore continue to grow. That's good for nature – and cork flooring is good for your home. Its great elasticity is easy on the joints and its warmth is pleasant underfoot (naturally on underfloor heating too). And: this material is provided with great sound absorption by nature itself. See for yourself: cork is not just a good choice for children's rooms and bedrooms!



Cork flooring Classic | KC 85 S | Light grey fine structure 6818 | matt lacquered



Cork flooring Classic | KC 85 S | Light grey fine structure 6818 | matt lacquered





Linoleum flooring Puro | LID 300 S | Cement grey 7302

Natural flooring – quiet wellness

For everyone who places great value on their flooring being close to nature and healthy living. For everyone who does not want to do without a modern look nevertheless. Natural flooring is the perfect combination of ecology, living comfort and trendy design. Natural flooring is our generic term for two extremely natural and ecological Premium floor coverings: linoleum and cork flooring. Making 16 different natural flooring surfaces all together. It's your choice!



Linoleum flooring Puro



LID 300 S | 2120 x 235mm

Peace into your everyday life

Linoleum flooring? Simply fascinating! A natural product through and through, extremely resilient and totally trendy in modern colours. And the best thing is: it also stands up to everyday life! With the »Topshield« protective surface finish we make our linoleum flooring stain-resistant, durable, easy to clean and even antibacterial. So it's not a problem if things should get a bit wild now and again at home.





Award-winning MEISTER linoleum flooring



Linoleum: a genuine natural product

Linoleum gets its correct hardness-elasticity ratio in the drying chamber. In turn, it leaves the chamber with a light yellow tinge, the so-called drying chamber film. This film degenerates after installation. Sunlight makes the floor take on its original colour. The length of time this process takes depends on the sunlight's intensity. So you should not be surprised when you take your newly purchased linoleum flooring out of the cardboard packaging: your flooring needs a little time to find its right colour.

MEISTER

Cork flooring Puro

KD 300 S | 2120 x 240mm



MEISTER



Totally natural and naturally quiet.

Inspired by nature and timelessly beautiful: Puro cork flooring literally offers genuine living comfort. Its great elasticity is easy on the joints and its warmth is pleasant underfoot. Cork offers great sound absorption anyway. Making cork the perfect material for living rooms, bedrooms and children's rooms – and anywhere else!

The harmonious surfaces in almost natural, timelessly modern colours round off the overall appearance and make cork flooring the perfect trendy and wellness flooring. The treatment with natural oil really brings out the cork surface and gives it an extra subtle and matt look – so that you can enjoy your cork flooring for a long time to come!

Our care advice for naturally oiled cork flooring



First clean after installation

Once the floor has been installed, you have to subject it to a thorough clean before it is used for the first time («cleaning after construction work»). In doing so you remove the dirt and dust caused by the installation and prepare the floor for future use.

To clean cork flooring use CC Wood Care diluted with water in a ratio of 1:200. The floor should be wiped damp using a lint free cloth, which has been dipped in this solution and wrung out well.



Regular cleaning

Normal vacuum cleaning or sweeping is perfectly adequate to remove everyday dirt. For regular cleaning and care please use CC Wood Care diluted with water in a ratio of 1:200. Wipe the floor damp using a lint free cloth, which has been dipped in this solution and wrung out well, as with cleaning after construction work.



Refreshing and re-oiling (approx. once a year)

We recommend refreshing your naturally oiled cork flooring with CC-H₂Oil to keep it looking beautiful for a long time as soon as the first signs of wear appear.

Alternatively, Osmo products are also available (Osmo Wash and Care, Osmo Liquid Wax Cleaner).

Award-winning

MEISTER cork flooring





Nadura: As hard as a rock. As warm as wood.

Modern tiles? Or a cosy wooden floor? We say: both! The innovative Nadura floor makes this possible. Warm underfoot and natural like wood, robust and unbreakable like tiles – these properties are perfectly combined in Nadura flooring.

The main component of Nadura is the innovative »wood powder« – a mixture of fine wood fibres and mineral components that is compressed using pressure and high temperatures. Resulting in the Nadura surface that is in fact both: as hard as a rock and as warm as wood!

Nadura



NQ 500 | 485 x 485mm



NB 400 | 853 x 395mm








Considerably different. Considerably better.

Nadura makes the difference: a floor that is similar to ceramic and fine stoneware in hardness but is fitted with the warm to the foot feel-good factor of wood. This innovative material allows for a whole range of surface versions that replicate elegant slate and sandstone or modern concrete structures. Open up your rooms to a new dimension of design!



Floors with a unique character

A wooden floor for the kitchen? A stone floor in the bedroom? We recommend: durable and warm to the foot Nadura floors for both rooms! As Nadura plays to its individual strengths in any environment: just as tough as tiles and yet just as cosy as a wooden floor. Children's rooms, living rooms, guest rooms, hallways and studies all benefit from this.










The recipe for permanent pleasure

It can happen very quickly, especially in the kitchen: a pot falls or a glass tips over. What leaves behind permanent traces on other floors is not even worth mentioning with Nadura flooring: just clean it up and it's all forgotten. What remains are wonderful memories of cooking experiments, festive baking and family celebrations.



Nadura | NQ 500 | Concrete grey 6477 | Stone pore structure




Pleasantly warm to the foot

Due to the high share of wood fibres, body heat is drawn away slower than with ceramic or fine stoneware floors. Due to the share of mineral substances, Nadura floors are just as tough as stone or ceramic tiles.



Easy to clean

Red wine, oils and other liquids can permanently discolour the necessary cement joints between stone and ceramic tiles. They can be removed without a trace from the Nadura joints. Wet, coarse dirt can even be removed from the deeper surface structures as Nadura is extremely scrub and abrasion resistant.



Extremely durable

The high share of mineral substances gives the floor the toughness of a stone or ceramic tile. Whereas ceramic tiles split or crack when subject to impact, with Nadura only small dents or scratches result that can partly be repaired.



A perfect look

The embossed surface structures make Nadura floors look very realistic. Nadura is a natural product, each plank is a one-off.



Nadura | NB 400 | Slate anthracite 6332

Award-winning

MEISTER Nadura



nadura

Nadura® – produced under license of Vällinge



Our tip for cleaning:

Use standard cleaning agents or laminate cleaning agents that do not leave behind a film. The floor should be wiped damp, if necessary, use a scrubbing brush. The CC Wood Floor Deep Clean can be used in the event of stubborn dirt.

MEISTER





Laminate flooring – the easy to clean feel-good floor

Robust, easy to clean, totally trendy and yet timeless – you can find your perfect room-mate with our laminate flooring. And the best thing is: if you want it to last a really long time. You'll see: you're definitely doing everything right with high-quality classic laminate flooring from MEISTER.



What is laminate flooring?

Laminate flooring has been the best selling hard floor covering for years and stands for easiness to clean and durability like no other floor. All-round uncomplicated flooring that requires very little attention and with which you keep a beautiful and resistant floor for many years to come – that's a guarantee.



Why does laminate flooring withstand so much?

Laminate is one of the most robust flooring that exists. Thanks to layers stably bonded together you get a floor on which you can really live it up – and for many years to come. The laminate surface made from natural melamine resin effectively protects the floor against external influences – from children's toys to pets' claws.

Award-winning

MEISTER Laminate flooring



Only for laminate flooring Premium



Association of European Producers of Laminate Flooring



Laminate flooring – truly ecological

Laminate flooring is made 100% from natural resources, notably wood. The heart is a board made of compressed wood fibres. Underneath it is a »backing« to stabilise it and with some floors integrated insulation against noise. On top is the laminate flooring's »face«, the decor paper, e.g. with authentic wood or stone effects or really creative designs. The top layer (the walking layer) consists of resistant melamine resin and gives the laminate flooring its incredible durability and easiness to clean.



Laminate flooring Classic

Elegant oak or a modern, imaginative decor? Really rustic or more calm? Wonderfully light or dark and mysterious? Planks or compact format? Not a problem for your variety-packed laminate flooring – the choice is yours: you can find a large range of decor and different formats in the Classic laminate flooring collection. What's your favourite laminate flooring?

LD 95 | LD 95 S | 2052 x 220mm

LC 75 | LC 75 S | LD 75 | LD 75 S | LC 55 | LC 55 S | 1288 x 198mm

LB 85 | 853 x 395mm

Simply beautiful.

Can you tell it apart from real wood? We can't either. Our elaborately produced decor sets trends and provides your home with the right setting. Regardless of which decor you choose. As: MEISTER laminate flooring doesn't just look real but feels real too.



Laminate flooring Classic | LD 75 | Habanera oak 6429 | Wood finish matt structure



Laminate flooring Classic | LD 75 | Habanera oak 6429 | Wood finish matt structure





Laminate flooring Classic | LC 55 | Marrakech oak 6396 | Wood finish matt structure



Simply easy to clean.

Boredom is a thing of the past. Today kitchens are control centres, wellness oases and where everything happens – and not just at parties. Our laminate floor even withstands big battles in the kitchen. All traces are removed from the wipe resistant surface in no time at all and peace is once again restored. Until the next time.

Simply robust.

Real life happens here. Good job there's a floor that forgives plenty. The durable MEISTER laminate flooring is the perfect base for adventurous everyday life and is good to you all-round. As it does not contain any PVC and is produced without using any harmful plasticisers or solvents.



MEISTER

Laminate flooring


Premium from
MEISTER:
perfection in
three collections



LC 200 | LC 200 S | LD 200 | LD 200 S | 1287 x 198mm



LS 300 | LS 300 S | 1287 x 140mm



LD 300|25 | LD 300|25 S oder LD 300|20 | LD 300|20 S | 2052 x 248mm or 2052 x 208mm





Laminate flooring Melango | LD 300|20 | Sand oak 6435 | Special pore effect

Laminate flooring

Melango, Long and wide: Planks for spacious rooms



Laminate flooring Melango | LD 300|20 | Light oak 286 | Special pore effect

Melango has become a classic among laminate planks in just a few years. It combines the robustness of laminate flooring with the authentic look of a plank. Over more than two metres every plank shows off perfect decor that is not repeated on the plank. Together with other details like the longitudinal or all-round bevel, this ensures a look where even experts can't tell the difference from a wooden floor without looking twice.

Really beautifully stylish.





Laminate flooring Melango | LD 300|20 | Medium oak 6131 | Special pore effect



Laminate flooring Micala | LD 200 | Style Factory 6408 | Raw wood pore structure



Laminate flooring

Micala: Sophisticated and compact: the all-rounder

At just over 1.20m long, the »Micala« laminate flooring shows off its very best side. A huge variety of decors from totally classic to rather unusual can be combined as planks or 3-strip with all interior design styles. A version can be found for lovers of traditional wood effects too of course. It's your choice: with longitudinal bevels you create the perfect plank look, the seamless decors on the other hand ensure an even and harmonious looking floor.



Laminate flooring Micala | LD 200 | Style Factory 6408 | Raw wood pore structure



Living for
advanced users





Laminate flooring Micala | LD 200 | Chianti oak 6392 | Special pore effect

Laminate flooring

Talamo, Narrow and elegant: impressive strips

High quality laminate flooring makes a good impression anywhere. The »Talamo« collection with its select surfaces and structures, which are perfectly coordinated to the format of these narrow planks, is a perfect example of this. What is characteristic for »Talamo« are the intensive oak decors where the natural wooden look is also additionally accentuated by elegant pore structures. Allowing you to create perfect looking rooms for your home.



Laminate flooring Talamo | LS 300 | Vanilla oak 6265 | Raw wood pore structure



Laminate flooring Talamo | LC 300 | Dark oak 6445 | Raw wood pore structure

In the midst of life.





Our premium laminate floorings have the usual excellent MEISTER quality but also a few other plus points that make these floors a special and perfect experience.



AquaSafe system

All premium laminate flooring from MEISTER is suitable for humid rooms* as they have the AquaSafe system's comprehensive protection against humidity. This consists of three effective elements that protect the floor from any moisture penetrating:

| Surface protection

The multi-layered and impregnated surfaces ensure effective protection against moisture.

| Floor protection at the edges

The specially developed and patented geometry of the click mechanism that works with pre-tension guarantees that the profile is sealed tight and permanently.

| Anti-swelling base board

The »AquaSafe« effective anti-swelling base board can largely prevent swelling in the event of contact with water.

* So-called »humid rooms« are all rooms with higher but not permanent moisture and/or with periodically high humidity, e.g. bathrooms. This does not include outdoor areas and wet rooms, e.g. saunas, shower cubicles, steam rooms and rooms with a floor drain. **Please note:** do not leave puddles of water/spills to dry on the surface but wipe up and wipe dry immediately (within 30 minutes).



Diamond Pro® surface

The special Diamond Pro surface provides special resistance against micro-scratches and abrasion and offers additional protection against wear.



Antistatic finish

All premium laminate flooring from MEISTER also has an antistatic finish. This minimises the development of static electricity on people to < 2 kV and thus protects against a lot of discharge on metal objects, e.g. when touching a door handle.



Extended warranty in living areas


We are so convinced of the quality of our premium laminate flooring that we give you an extra long warranty on it. Up to 25 years in living areas*.



Everything from one source

With MEISTER you are sure that everything goes together. Thanks to our system of a subsurface, mouldings, profiles and ends you get the perfect floor that is right for you and lasts a long time.

You can find information about our accessory programme at www.meister.com



Panels:
Versatile and uniquely
effective.



Panels | SP 400 | Board black 4037



Perfectly panelled walls and ceilings.

They perfect the interior design: when walls and ceilings merge together to make a home it gets very cosy. Panelled sloping ceilings create islands of visual peace and give the room structure. For your personal feel-good island.





Panels | Terra DP 250 | Light acacia 4012

When the floor is going up the wall

By the way: Longlife parquet and Lindura wood flooring can also be attached to the wall using our simple rail system!





MEISTER

You can find details about the extensive MEISTER range of panels in the separate »Panels« catalogue and on www.meister.com




Decor overview

Longlife parquet Classic	119
Longlife parquet Penta	127
Longlife parquet Cottage	129
Longlife parquet Residence	137
Longlife parquet Style	143
Lindura wood flooring	146
Design flooring Classic	150
Design flooring Catega® Flex	154
Design flooring Tecara	157
Cork flooring Classic	159
Cork flooring Puro	160
Linoleum Puro	162
Nadura	164
Laminate flooring Classic	169
Laminate flooring Melango	181
Laminate flooring Micala	187
Laminate flooring Talamo	194

Longlife parquet Classic



Polar white oak lively 8452 | brushed | lacquered | PC 200



White ash lively 8476 | lacquered | PC 200



Arctic white rustic oak 8488 | brushed | matt lacquered | PD 200



Arctic white rustic oak 8455 | brushed | naturally oiled | PD 200




Arctic white oak lively 8458 | lacquered | PC 200



Limed white oak lively 8480 | lacquered | PC 200




Off-white oak lively 8460 | lacquered | PC 200



Pure rustic oak 8486 | brushed | matt lacquered | PD 200


Longlife parquet Classic



Limed cream oak lively 8481 | lacquered | PC 200



Caramel rustic oak 8462 | brushed | matt lacquered | PD 200




Distinctive caramel oak 8538 | brushed | matt lacquered | PD 150




Off-white rustic oak 8489 | brushed | matt lacquered | PD 200




Distinctive off-white oak 8539 | brushed | matt lacquered | PD 150






Cream oak lively 8326 | lacquered | PC 200



Off-white rustic oak 8456 | brushed | naturally oiled | PD 200




Distinctive off-white oak 8535 | brushed | naturally oiled | PD 150

Longlife parquet Classic**Lyed-look rustic oak 8138** | brushed | matt lacquered | PD 200**White rustic oak 8372** | matt lacquered | PD 200**Cream rustic oak 8325** | matt lacquered | PD 200**Off-white oak lively 8349** | brushed | naturally oiled | PC 200**Pure oak lively 8471** | brushed | naturally oiled | PC 200**Pure rustic oak 8484** | brushed | naturally oiled | PD 200**Pure oak lively 8478** | brushed | lacquered | PC 200**Caramel rustic oak 8457** | brushed | naturally oiled | PD 200


Longlife parquet Classic



Distinctive caramel oak 8534 | brushed | naturally oiled | PD 150



Caramel oak lively 8459 | lacquered | PC 200



Cream grey oak lively 8482 | lacquered | PC 200



Canadian maple harmonious 943 | lacquered | PC 200



Canadian maple lively 934 | lacquered | PC 200



Beech harmonious 913 | lacquered | PC 200



Beech lively 918 | lacquered | PC 200



Beech lively 8178 | naturally oiled | PC 200

Longlife parquet Classic



Canadian maple lively 8177 | naturally oiled | PC 200



Steamed beech lively 8186 | naturally oiled | PC 200



Steamed beech harmonious 928 | lacquered | PC 200




Steamed beech lively 921 | lacquered | PC 200



Larch lively 8472 | brushed | naturally oiled | PC 200



Golden brown larch lively 8473 | brushed | naturally oiled | PC 200



American cherry tree harmonious 945 | lacquered | PC 200



Limed oak lively 8479 | lacquered | PC 200

Longlife parquet Classic



Distinctive oak 8532 | brushed | naturally oiled | PD 150



Oak lively 8187 | brushed | naturally oiled | PC 200



Oak harmonious 910 | lacquered | PC 200



Rustic oak 8166 | brushed | naturally oiled | PD 200



Rustic oak 8137 | brushed | matt lacquered | PD 200




Distinctive oak 8536 | brushed | matt lacquered | PD 150




Oak lively 903 | lacquered | PC 200



Golden brown oak lively 8475 | brushed | naturally oiled | PC 200

Longlife parquet Classic**Golden brown rustic oak 8485** | brushed | naturally oiled | PD 200**Golden brown rustic oak 8487** | brushed | matt lacquered | PD 200**Distinctive golden brown oak 8537** | brushed | matt lacquered | PD 150**Distinctive golden brown oak 8533** | brushed | naturally oiled | PD 150**Tobacco grey oak lively 8474** | brushed | naturally oiled | PC 200**American walnut harmonious 960** | lacquered | PC 200**American walnut distinctive 991** | lacquered | PC 200**Smoked oak harmonious 8021** | brushed | lacquered | PC 200

Longlife parquet Classic



Smoked oak lively 8105 | brushed | lacquered | PC 200

PD 200

- | 1-Strip (plank)
- | Naturally oiled or matt lacquered surface
- | Longitudinal V-bevel
- | Click system: Masterclit Plus
- | MEISTER Longlife warranty* in living areas
- | Approx. 2.5mm wood wear layer
- | Thickness: 13mm
- | Effective measurement: 2200 x 180mm

PC 200

- | 3-strip
- | Naturally oiled or lacquered surface
- | Click system: Masterclit Plus
- | MEISTER Longlife warranty* in living areas
- | Approx. 2.5mm wood wear layer
- | Thickness: 13mm
- | Effective measurement: 2400 x 200mm





Smoked oak lively 8470 | brushed | naturally oiled | PC 200

PD 150

- | 1-strip (pocket plank)
- | Naturally oiled or matt lacquered surface
- | longitudinal V-bevel
- | Click system: Masterclit Plus
- | MEISTER Longlife warranty* in living areas
- | Approx. 2.5mm wood wear layer
- | Thickness: 13mm
- | Effective measurement of: 900 x 180 mm

* Warranty according to the MeisterWerke warranty conditions at www.meister.com

 = naturally oiled


Longlife parquet Penta**White oak lively 8135** | brushed | naturally oiled | PD 550**Pure oak lively 8577** | brushed | naturally oiled | PD 550**Oak lively 8091** | brushed | naturally oiled | PD 550**Smoked oak lively 8131** | brushed | naturally oiled | PD 550**PD 550**

- | 1-Strip (plank)
- | Naturally oiled surface
- | longitudinal irregular V-bevel
- | Click system: longitudinal Uniclic, tongue-and-groove connection on the end
- | MEISTER Longlife warranty* in living areas
- | Approx. 2.5mm wood wear layer
- | Thickness: 15mm
- | Lengths: 3650 | 4200mm
- | Widths: 220 | 260mm

* Warranty according to the MeisterWerke warranty conditions at www.meister.com

= naturally oiled


Longlife parquet Penta



Limed white oak lively 8594 | brushed | matt lacquered | PD 450




Off-white oak harmonious 8596 | brushed | matt lacquered | PD 450




Pure oak lively 8595 | brushed | matt lacquered | PD 450



Light oak harmonious 8176 | brushed | matt lacquered | PD 450



Oak harmonious 8171 | brushed | matt lacquered | PD 450



Oak lively 8593 | brushed | matt lacquered | PD 450

PD 450

| 1-Strip (plank)

| Matt lacquered surface

| All-round V-bevel

| Click system: Masterclick Plus




| MEISTER Longlife warranty* in living areas

| Approx. 2.5mm wood wear layer


| Thickness: 13mm

| Effective measurement: 2400 x 255mm

* Warranty according to the MeisterWerke warranty conditions at www.meister.com

Longlife parquet Cottage**Polar white oak harmonious 8560** | brushed | high-gloss lacquered | PD 400**Polar white oak harmonious 8081** | brushed | matt lacquered | PD 400**Limed polar white authentic oak 8558** | brushed | naturally oiled | PD 400**White washed oak harmonious 8384** | brushed | naturally oiled | PD 400**White washed oak canyon 8383** | brushed | naturally oiled | PD 400**Limed white oak lively 8542** | brushed | matt lacquered | PD 400**Pearl oak lively 8544** | matt lacquered | PD 400**Pure vital oak 8494** | brushed | naturally oiled | PD 400


Longlife parquet Cottage



Canadian pure maple harmonious 8490 | matt lacquered | PD 400



Canadian maple lively 8024 | matt lacquered | PD 400



Limed off-white oak lively 8541 | brushed | matt lacquered | PD 400




Limed cream oak lively 8545 | matt lacquered | PD 400



Limed oak lively 8546 | matt lacquered | PD 400








Natural light oak lively 8552 | brushed | naturally oiled | PD 400




White oak harmonious 8090 | brushed | naturally oiled | PD 400



Pure vital oak 8492 | brushed | matt lacquered | PD 400

Longlife parquet Cottage**Caribbean oak lively 8453** | matt lacquered | PD 400**Caribbean oak harmonious 8366** | matt lacquered | PD 400**Sahara oak harmonious 8364** | matt lacquered | PD 400**Nevada oak harmonious 8365** | matt lacquered | PD 400**Cream oak lively 8543** | brushed | matt lacquered | PD 400**Pure oak harmonious 8540** | brushed | matt lacquered | PD 400**Cream grey oak ambience 8222** | brushed | naturally oiled | PD 400**Cream grey oak ambience 8283** | brushed | matt lacquered | PD 400


Longlife parquet Cottage




Champagne oak lively 8551 | Scalloped edge structure | naturally oiled | PD 400



Light grey oak lively 8548 | matt lacquered | PD 400




Off-white oak lively 8454 | matt lacquered | PD 400



Kalahari oak harmonious 8367 | matt lacquered | PD 400



Larch lively 8495 | brushed | naturally oiled | PD 400




Pure beech harmonious 8491 | matt lacquered | PD 400



Steamed beech lively 8033 | matt lacquered | PD 400




Oak harmonious 8027 | brushed | matt lacquered | PD 400

Longlife parquet Cottage**Oak canyon 8302** | brushed | naturally oiled | PD 400**Authentic oak 8290** | brushed | naturally oiled | PD 400**Oak lively 8091** | brushed | naturally oiled | PD 400**Light brown oak lively 8549** | matt lacquered | PD 400**Oak lively 8028** | brushed | matt lacquered | PD 400**Vital oak 8377** | brushed | matt lacquered | PD 400**Smoked oak harmonious light 8289** | brushed | naturally oiled | PD 400**Honey oak lively 8550** | Scalloped edge structure | naturally oiled | PD 400

Longlife parquet Cottage



Authentic Bourbon oak 8556 | brushed | naturally oiled | PD 400



Pure smoked oak mountain light 8498 | brushed | naturally oiled | PD 400



Smoked oak mountain light 8307 | brushed | naturally oiled | PD 400



Golden brown larch lively 8496 | brushed | naturally oiled | PD 400




Mocha oak lively 8547 | brushed | matt lacquered | PD 400







Authentic brown-grey oak 8555 | brushed | naturally oiled | PD 400



Limed Terra oak canyon 8557 | brushed | naturally oiled | PD 400



Steamed oak canyon 8304 | brushed | high-gloss lacquered | PD 400

Longlife parquet Cottage**Authentic antique brown oak 8554** | brushed | naturally oiled | PD 400**Light brown smoked oak mountain 8499** | brushed | naturally oiled | PD 400**American walnut lively 8275** | matt lacquered | PD 400**Steamed oak canyon 8301** | brushed | naturally oiled | PD 400**Distinctive titanium silver oak 8221** | brushed | naturally oiled | PD 400**Distinctive silver grey oak 8305** | brushed | high-gloss lacquered | PD 400**Antique brown silver oak lively 8299** | brushed | naturally oiled | PD 400**Authentic olive grey oak 8553** | brushed | naturally oiled | PD 400

Longlife parquet Cottage




Olive grey oak lively 8561 | brushed | high-gloss lacquered | PD 400




Dark brown oak canyon 8559 | brushed | naturally oiled | PD 400



Smoked oak lively 8303 | brushed | high-gloss lacquered | PD 400



Smoked oak harmonious 8288 | brushed | naturally oiled | PD 400



Smoked oak lively 8031 | brushed | matt lacquered | PD 400

PD 400

- | 1-Strip (plank)
- | naturally oiled, matt lacquered or high-gloss surface
- | with longitudinal V-bevel or longitudinal, irregular V-bevel
- | Click system: Masterclik Plus
- | MEISTER Longlife warranty* in living areas
- | Approx. 2.5mm wood wear layer
- | Thickness: 13mm
- | Effective measurement: 2200 x 180mm

* Warranty according to the MeisterWerke warranty conditions at www.meister.com



= naturally oiled


Longlife parquet Residence




Limed white natural oak 8570 | brushed | matt lacquered | PS 500




Authentic white oak 8563 | brushed | naturally oiled | PS 500



Natural pearl oak 8569 | matt lacquered | PS 500



Limed off-white natural oak 8571 | brushed | matt lacquered | PS 500




Natural cream oak 8572 | brushed | matt lacquered | PS 500



Vital oak 8562 | brushed | naturally oiled | PS 500




Natural oak 8568 | brushed | matt lacquered | PS 500



Natural mocha oak 8573 | brushed | matt lacquered | PS 500

Longlife parquet Residence




Authentic antique brown oak 8566 | brushed | naturally oiled | PS 500



Authentic olive grey oak 8565 | brushed | naturally oiled | PS 500



Authentic Bourbon oak 8567 | brushed | naturally oiled | PS 500



Authentic steamed oak 8564 | brushed | naturally oiled | PS 500

PS 500

- | 1-Strip (Strip parquet for herringbone look)
- | Naturally oiled or matt lacquered surface
- | All-round, irregular V-bevel for naturally oiled surfaces
- | All-round V-bevel for matt lacquered surfaces
- | Click system: Quadroclit Plus
- | MEISTER Longlife warranty* in living areas
- | Approx. 2.5mm wood wear layer
- | Thickness: 13mm
- | Effective measurement: 710 x 142 mm


Longlife parquet Residence



Oak harmonious 8042 | lacquered | PS 400



Oak lively 8047 | lacquered | PS 400




Smoked oak lively 8031 | brushed | lacquered | PS 400

PS 400

- | 1-Strip (Strip parquet for herringbone look)
- | Lacquered surfaces
- | All-round V-bevel
- | Click system: Uniclic
- | MEISTER Longlife warranty* in living areas
- | Approx. 2.5mm wood wear layer
- | Thickness: 11mm
- | Effective measurement: 500 x 100mm


Longlife parquet Residence



White oak lively 8579 | Antique structure | naturally oiled | PS 300



Off-white oak lively 8574 | brushed | naturally oiled | PS 300



Pure oak lively 8577 | brushed | naturally oiled | PS 300





White washed oak lively 8236 | brushed | matt lacquered | PS 300



Limed cream oak lively 8582 | matt lacquered | PS 300




Pure oak harmonious 8583 | brushed | matt lacquered | PS 300

Longlife parquet Residence**Limed cream oak lively 8575** | brushed | naturally oiled | PS 300**Limed oak lively 8581** | matt lacquered | PS 300**Oak harmonious 8027** | brushed | matt lacquered | PS 300**Oak lively 8247** | brushed | naturally oiled | PS 300**Oak lively 8028** | brushed | matt lacquered | PS 300**Authentic brown-grey oak 8578** | brushed | naturally oiled | PS 300**Authentic golden brown oak 8576** | brushed | naturally oiled | PS 300**American walnut lively 8044** | matt lacquered | PS 300

Longlife parquet Residence



Espresso oak lively 8580 | Antique structure | naturally oiled | PS 300



Smoked oak harmonious 8052 | brushed | matt lacquered | PS 300

PS 300

- | 1-Strip (strip parquet)
- | Naturally oiled or matt lacquered surface
- | All-round V-bevel
- | Click system: Masterclik Plus
- | MEISTER Longlife warranty* in living areas
- | Approx. 2.5mm wood wear layer
- | Thickness: 13mm
- | Effective measurement: 1187 x 142mm


Longlife parquet Style




White oak country 8584 | planked, vintage structure, brushed | naturally oiled | PC 400



White washed oak country 8585 | planked, brushed | naturally oiled | PC 400



White oak country 8267 | planked, brushed | naturally oiled | PC 400



Pure oak country 8598 | planked, brushed | naturally oiled | PC 400



Oak country 8263 | planked, brushed | naturally oiled | PC 400



Limed brown oak country 8587 | planked, vintage structure, brushed
| naturally oiled | PC 400



Antique brown oak country 8590 | planked, vintage structure, brushed
| naturally oiled | PC 400



Dark brown antique oak country 8588 | planked, brushed | naturally oiled | PC 400

Longlife parquet Style



Olive brown oak country 8589 | planked, brushed | naturally oiled | PC 400



Silver grey oak country 8586 | planked, vintage structure, brushed
| naturally oiled | PC 400

PC 400

- | 3-Strip
- | Naturally oiled surface
- | Click system: Masterclic Plus
- | MEISTER Longlife warranty* in living areas
- | Approx. 2.5mm wood wear layer
- | Thickness: 13mm
- | Effective measurement: 2400 x 255mm

Longlife parquet Style



Pure oak country 8271 | planked, brushed | naturally oiled | PQ 500



Pure oak harmonious 8269 | brushed | matt lacquered | PQ 500



Oak country 8272 | planked, brushed | naturally oiled | PQ 500



Oak harmonious 8270 | brushed | matt lacquered | PQ 500



Silver grey oak country 8273 | planked, brushed | naturally oiled | PQ 500


PQ 500

- | Square
- | Naturally oiled or matt lacquered surface
- | All-round micro-bevel
- | Click system: Quadroclit Plus
- | MEISTER Longlife warranty* in living areas
- | Approx. 2.5mm wood wear layer
- | Thickness: 13.5mm
- | Effective measurement: 485 x 485mm

* Warranty according to the MeisterWerke warranty conditions at www.meister.com

 = naturally oiled


Lindura wood flooring



Natural arctic white oak 8516 | brushed | matt lacquered | HD 300




White washed rustic oak 8425 | brushed | naturally oiled | HD 300



White washed oak lively 8427 | brushed | naturally oiled | HD 300



Natural alabaster oak 8530 | brushed | matt lacquered | HD 300



Pure larch lively 8419 | brushed | naturally oiled | HD 300



Larch lively 8418 | brushed | naturally oiled | HD 300



Pure rustic oak 8413 | brushed | naturally oiled | HD 300



Oak lively 8417 | brushed | naturally oiled | HD 300

Lindura wood flooring




Natural caramel oak 8518 | brushed | matt lacquered | HD 300



Natural light oak 8521 | brushed | matt lacquered | HD 300



Rustic oak 8410 | brushed | naturally oiled | HD 300




Café latte rustic oak 8414 | brushed | naturally oiled | HD 300



Light clay grey oak lively 8416 | brushed | naturally oiled | HD 300



Cappuccino rustic oak 8512 | brushed | naturally oiled | HD 300



Natural crema oak 8525 | brushed | matt lacquered | HD 300



Natural honey oak 8519 | brushed | matt lacquered | HD 300


Lindura wood flooring



Rustic oak 8520 | brushed | matt lacquered | HD 300



Natural light brown oak 8527 | brushed | matt lacquered | HD 300



Golden brown rustic oak 8514 | brushed | naturally oiled | HD 300




American walnut lively 8523 | matt lacquered | HD 300



Natural pure American walnut 8522 | matt lacquered | HD 300



Olive grey rustic oak 8511 | Vintage structure, brushed | naturally oiled | HD 300




Natural titanium oak 8524 | brushed | matt lacquered | HD 300



Clay grey rustic oak 8411 | brushed | naturally oiled | HD 300

Lindura wood flooring



Smoked oak lively 8513 | brushed | naturally oiled | HD 300



Black washed rustic oak 8412 | brushed | naturally oiled | HD 300

HD 300

- | 1-Strip (plank)
- | Naturally oiled or matt lacquered surface
- | Longitudinal V-bevel with microbevel on the end - with natural | lively grading
- | Longitudinal, irregular V-bevel with micro-bevel on the end - with rustic grading
- | Click system: Masterclic Plus
- | MEISTER warranty* 20 years in living areas
- | Thickness: 11mm
- | Effective measurement:
- | 2600 x 320mm | 2200 x 270mm (with naturally oiled surfaces)
- | 2200 x 270mm (with matt lackered surfaces)

Design flooring Classic



White Island 6961 | Decor | DD 85 | DD 85 S



White Island 6961 | Decor | DD 75 | DD 75 S



Catalana oak 6968 | Wood effect | DD 85



Catalana oak 6968 | Wood effect | DD 75 | DD 75 S



Daytona oak 6982 | Wood effect | DD 85 | DD 85 S





Light Smokey Wood 6963 | Wood effect | DD 85 | DD 85 S



Light Smokey Wood 6963 | Wood effect | DD 75



Grey County 6962 | Decor | DD 85 | DD 85 S

Design flooring Classic**Grey County 6962** | Decor | DD 75 | DD 75 S**Cortona oak 6967** | Wood effect | DD 85**Cortona oak 6967** | Wood effect | DD 75 | DD 75 S**Ceramica 6979** | Decor | DD 85 | DD 85 S**Atelier 6980** | Decor | DD 85 | DD 85 S**Mill oak 6969** | Wood effect | DD 85**Mill oak 6969** | Wood effect | DD 75**Maple 202** | Wood effect | DC 75 | DC 75 S

Design flooring Classic



Beech 6201 | Wood effect | DC 75 | DC 75 S



Long Beach oak 6981 | Wood effect | DD 85 | DD 85 S



Natural oak 6067 | Wood effect | DC 75 | DC 75 S




Reserva oak 6966 | Wood effect | DD 75 | DD 75 S



Dark Smokey Wood 6964 | Wood effect | DD 85 | DD 85 S



Dark Smokey Wood 6964 | Wood effect | DD 75



Walnut 211 | Wood effect | DC 75 | DC 75 S



Cinnamon oak 6965 | Wood effect | DD 85 | DD 85 S

Design flooring Classic




Cinnamon oak 6965 | Wood effect | DD 75 | DD 75 S

DC 75 | DC 75 S

- | Wear class 23 | 32
- | AquaSafe special board
- | SilentTouch® surface
- | Available on request with sound-absorbing cushion
- | Klicksystem: Multiclic
- | MEISTER warranty* 15 years in living areas, 5 years in commercial areas
- | Thickness: 5mm (6mm with sound-absorbing cushion)
- | Effective measurement: 1290 x 194mm

DD 85 | DD 85 S

- | 1-Strip (plank)
- | Wear class 23 | 32
- | All-round micro-bevel
- | AquaSafe special board
- | SilentTouch® surface
- | Available on request with sound-absorbing cushion
- | Klicksystem: Multiclic
- | MEISTER warranty* 15 years in living areas, 5 years in commercial areas
- | Thickness: 5mm (6mm with sound-absorbing cushion)
- | Effective measurement: 1290 x 245mm



Slate 6978 | Imitation | DD 85 | DD 85 S


DD 75 | DD 75 S

- | 1-Strip (plank)
- | Wear class 23 | 32
- | All-round micro-bevel
- | AquaSafe special board
- | SilentTouch® surface
- | Available on request with sound-absorbiong cushion
- | Klicksystem: Multiclic
- | MEISTER warranty* 15 years in living areas, 5 years in commercial areas
- | Thickness: 5mm (6mm with sound-absorbing cushion)
- | Effective measurement: 1290 x 194mm

* Warranty according to the MeisterWerke warranty conditions at www.meister.com




Design flooring Catega® Flex



Arctic white oak 6946 | Wood effect | DD 300 | DD 300 S



Off-white knotty oak 6947 | Wood effect | DD 300 | DD 300 S



Ash 6948 | Wood effect | DD 300 | DD 300 S



Pure maple 6944 | Wood effect | DD 300 | DD 300 S



Greige oak 6959 | Wood effect | DD 300 | DD 300 S



Light cracked oak 6956 | Wood effect | DD 300 | DD 300 S



Sahara beige oak 6957 | Wood effect | DD 300 | DD 300 S



Limed rusticated oak 6943 | Wood effect | DD 300 | DD 300 S

Design flooring Catega® Flex



Old wood pine 6951 | Wood effect | DD 300 | DD 300 S



Old wood oak 6954 | Wood effect | DD 300 | DD 300 S



Clay grey old wood oak 6941 | Wood effect | DD 300 | DD 300 S




Vintage ash 6950 | Wood effect | DD 300 | DD 300 S



Caramel oak 6953 | Wood effect | DD 300 | DD 300 S



Light mountain oak 6940 | Wood effect | DD 300 | DD 300 S



Cappuccino split oak 6955 | Wood effect | DD 300 | DD 300 S




Natural English oak 6952 | Wood effect | DD 300 | DD 300 S

Design flooring Catega® Flex



Cognac English oak 6949 | Wood effect | DD 300 | DD 300 S



Walnut 6945 | Wood effect | DD 300 | DD 300 S

DD 300 | DD 300 S

- | 1-Strip (plank)
- | Wear class 23|33
- | All-round micro-bevel
- | AquaSafe special board
- | SilentTouch® surface
- | Available on request with sound-absorbing cushion
- | Klicksystem: Multiclic
- | MEISTER warranty* 20 years in living areas, 5 years in commercial areas
- | Thickness: 5mm (6mm with sound-absorbing cushion)
- | Effective measurement: 2150 x 216mm

* Warranty according to the MeisterWerke warranty conditions at www.meister.com


Design flooring Tecara



White spruce 6975 | Wood effect | DD 350 S



Distinctive grey white oak 6971 | Wood effect | DD 350 S




Old grey oak 6937 | Wood effect | DD 350 S




Pure oak lively 6974 | Wood effect | DD 350 S



Old wood oak 6972 | Wood effect | DD 350 S



Light oak 6921 | Wood effect | DD 350 S



Cappuccino oak 6935 | Wood effect | DD 350 S



Natural oak lively 6973 | Wood effect | DD 350 S

Design flooring Tecara



Greige oak 6934 | Wood effect | DD 350 S



Antique brown oak 6933 | Wood effect | DD 350 S

DD 350 S

- | 1-Strip (plank)
- | Wear class 23 | 33
- | All-round V-bevel
- | With 1mm cork sound-absorbing cushion
- | Click system: Masterclic Plus
- | MEISTER warranty* 20 years in living areas, 5 years in commercial areas
- | Thickness: approx. 9mm
- | Effective measurement: 2120 x 240mm

Cork flooring Classic



Off-white fine structure 6816 | KC 85 S



White grey vintage 6817 | KC 85 S



Cream fine structure 6815 | KC 85 S



Light grey fine structure 6818 | KC 85 S



Fine structure 6828 | KC 85 S



Coarse structure 6827 | KC 85 S

KC 85 S

- | Wear class 23
- | Matt lacquered surface
- | With 1mm cork sound-absorbing cushion
- | Click system: Masterclick Plus
- | MEISTER warranty* 10 years in living areas
- | Approx. 2.5mm cork wear layer
- | Thickness: 10mm
- | Effective measurement: 910 x 304mm

* Warranty according to the MeisterWerke warranty conditions at www.meister.com

Cork flooring Puro




White vintage 6823 | KD 300 S



Pure medium structure 6825 | KD 300 S




Cream medium structure 6819 | KD 300 S



Cream grey medium structure 6824 | KD 300 S



Cognac medium structure 6826 | KD 300 S



Grey medium structure 6821 | KD 300 S

Cork flooring Puro



Dark brown medium structure 6820 | KD 300 S



Anthracite medium structure 6822 | KD 300 S


KD 300 S

- | Wear class 23
- | Naturally oiled surface
- | All-round micro-bevel
- | With 1mm cork sound-absorbing cushion
- | Click system: Masterclic Plus
- | MEISTER warranty* 10 years in living areas
- | Approx. 2.5mm cork wear layer
- | Thickness: 10mm
- | Effective measurement: 2120 x 240mm

Linoleum flooring Puro



Cream 7300 | LID 300 S




Grey 7303 | LID 300 S




Cement grey 7302 | LID 300 S



Quartz grey 7304 | LID 300 S



Warm grey 7301 | LID 300 S



Golden brown 7305 | LID 300 S

Linoleum flooring Puro



Dark brown embossed stripe 7307 | LID 300 S




Slate anthracite 7306 | LID 300 S

LID 300 S

- | Wear class 23 | 33
- | With 1mm cork sound-absorbing cushion
- | All-round micro-bevel
- | Click system: Masterclick Plus
- | MEISTER warranty* 10 years in living areas
- | Approx. 2.5mm linoleum wear layer
- | Thickness: 10mm
- | Effective measurement: 2120 x 235mm


Nadura



Light sandstone 6323 | Imitation | NB 400



Light grey sandstone 6313 | Imitation | NB 400



Light grey metallic 6486 | Decor | NB 400



Stone grey rustic 6481 | Decor | NB 400



Slate grey 6333 | Imitation | NB 400



Cream grey rustic 6480 | Decor | NB 400




Grey metallic 6484 | Decor | NB 400




Warm grey structural concrete 6314 | Imitation | NB 400


Nadura




Concrete grey hickory 6223 | Imitation | NB 400




Sliver-grey sandstone 6324 | Imitation | NB 400




Arctic grey slate 6478 | Imitation | NB 400




Beige-grey sandstone 6302 | Imitation | NB 400




Rust metallic 6483 | Decor | NB 400



Titanium grey rustic 6479 | Decor | NB 400




Volcano metallic 6485 | Decor | NB 400




Sienna grey 6305 | Imitation | NB 400

Nadura



Slate anthracite 6332 | Imitation | NB 400




Anthracite metallic 6482 | Decor | NB 400


NB 400

- | Wear class 23 | 34
- | All-round V-bevel
- | Comprehensive protection against humidity: AquaSafe system
- | Nadura surface
- | Click system: Masterclick Plus
- | MEISTER warranty* Lifetime in living areas, 10 years in commercial areas
- | Thickness: approx. 10.5mm
- | Effective measurement: 853 x 395mm


Nadura




Cream 6470 | Imitation | NQ 500




Silk grey 6471 | Imitation | NQ 500




Clay grey 6472 | Imitation | NQ 500



Concrete grey 6477 | Imitation | NQ 500




Platinum grey 6474 | Imitation | NQ 500




Quartz grey 6473 | Imitation | NQ 500

Nadura



Anthracite 6475 | Imitation | NQ 500



Black 6476 | Imitation | NQ 500

NQ 500

| Wear class 23 | 34

| All-round V-bevel

| Comprehensive protection against humidity: AquaSafe system

| Nadura surface

| Click system: Quadroclic Plus

| MEISTER warranty* Lifetime in living areas, 10 years in commercial areas


| Thickness: approx. 10.5mm

| Effective measurement: 485 x 485mm

Laminate flooring Classic




Plain pure white 6448 | Decor | LB 85



Opaque white oak 6536 | Wood effect | LD 95 | LD 95 S



Artisan ash 6402 | Wood effect | LD 95 | LD 95 S



White sandstone 6047 | Imitation | LB 85



Arctic white ash 6251 | Wood effect | LC 55



Marzipan oak 6268 | Wood effect | LC 75

Laminate flooring Classic




Marzipan oak 6268 | Wood effect | LC 55



White lyed spruce 6378 | Wood effect | LC 55 | LC 55 S



Sienna cream 6171 | Imitation | LB 85



White spruce 6449 | Wood effect | LD 75 | LD 75 S



White Life 6390 | Wood effect | LC 75 | LC 75 S



Sea Side 6417 | Wood effect | LC 75 | LC 75 S



Sea Side 6417 | Wood effect | LD 75



Mystery White 6419 | Decor | LC 55 | LC 55 S

Laminate flooring Classic



Mystery White 6419 | Decor | LD 95



Mystery White 6419 | Decor | LD 75



Bodega oak 6403 | Wood effect | LD 75 | LD 75 S



Taverna oak 6428 | Wood effect | LD 75



White lyed oak 6181 | Wood effect | LD 95 | LD 95 S



White lyed oak 6181 | Wood effect | LD 75



White lyed oak 6181 | Wood effect | LC 75



Light timber 6279 | Wood effect | LD 95 | LD 95 S


Laminate flooring Classic



Cappuccino sessile oak 6322 | Wood effect | LD 95



White maple 6003 | Wood effect | LC 75 | LC 75 S



Royal beech 6388 | Wood effect | LD 95 | LD 95 S



Maple 6007 | Wood effect | LC 75 | LC 75 S



Maple 202 | Wood effect | LC 55 | LC 55 S



Maple 202 | Wood effect | LC 75 | LC 75 S



Hemlock 6057 | Wood effect | LC 55



Beech 6201 | Wood effect | LC 55 | LC 55 S

Laminate flooring Classic




Beech 6201 | Wood effect | LC 75 | LC 75 S



Oak 462 | Wood effect | LC 75 | LC 75 S



Natural oak 6067 | Wood effect | LC 55 | LC 55 S



Taverna oak 6428 | Wood effect | LD 95



Taverna oak 6428 | Wood effect | LC 75



Distinctive pure oak 6273 | Wood effect | LD 95 | LD 95 S



Distinctive pure oak 6273 | Wood effect | LC 75 | LC 75 S



Light boathouse oak 6259 | Wood effect | LD 95 | LD 95 S

Laminate flooring Classic




Tosca chestnut 6405 | Wood effect | LD 75 | LD 75 S



Cappuccino cracked oak 6318 | Wood effect | LC 75 | LC 75 S



Barista oak 6420 | Wood effect | LC 75 | LC 75 S



Barista oak 6420 | Wood effect | LD 95



Barista oak 6420 | Wood effect | LD 75



Light Chiemsee oak 6376 | Wood effect | LD 75 | LD 75 S



Caledonia oak 6421 | Wood effect | LD 75



Cappuccino oak 6263 | Wood effect | LD 95 | LD 95 S

Laminate flooring Classic



Cappuccino oak 6263 | Wood effect | LD 75 | LD 75 S



Cappuccino oak 6263 | Wood effect | LC 75



Boathouse oak 6188 | Wood effect | LD 95 | LD 95 S




Habanera oak 6429 | Wood effect | LD 75



Arcadia oak 6412 | Wood effect | LD 95 | LD 95 S



Arcadia oak 6412 | Wood effect | LD 75 | LD 75 S



Loft Style 6401 | Decor | LB 85



Fancy Pine 6438 | Wood effect | LC 55 | LC 55 S

Laminate flooring Classic




Patina Wood 6398 | Wood effect | LC 55 | LC 55 S



West Side 6397 | Wood effect | LC 75 | LC 75 S



Dark hemlock 6058 | Wood effect | LD 75 | LD 75 S



Cool Storm 6533 | Decor | LB 85




Brushed Wood 6422 | Wood effect | LC 75 | LC 75 S



Grey oak 6442 | Wood effect | LC 75



Slate grey 6136 | Imitation | LB 85



Blue Metal 6544 | Decor | LB 85

Laminate flooring Classic



Light cracked oak 6258 | Wood effect | LD 95 | LD 95 S



Light cracked oak 6258 | Wood effect | LC 55 | LC 55 S



Marrakech oak 6396 | Wood effect | LC 55 | LC 55 S



Nova oak 6413 | Wood effect | LD 95 | LD 95 S



Oak 6443 | Wood effect | LC 75



Oak 6441 | Wood effect | LC 75



Beech 461 | Wood effect | LC 75



Limed oak 6027 | Wood effect | LC 75 | LC 75 S

Laminate flooring Classic



Silver spruce 6004 | Wood effect | LC 75 | LC 75 S



Doussie 6509 | Wood effect | LC 75




Cracked Terra oak 6439 | Wood effect | LD 95 | LD 95 S



Cracked Terra oak 6439 | Wood effect | LC 55 | LC 55 S



Cracked Terra oak 6439 | Wood effect | LD 75



Vintage Wood 6399 | Wood effect | LB 85




Quinta oak 6406 | Wood effect | LC 55 | LC 55 S




Cognac rustic oak 6256 | Wood effect | LD 95 | LD 95 S

Laminate flooring Classic



Walnut 211 | Wood effect | LC 55 | LC 55 S



Walnut 211 | Wood effect | LC 75 | LC 75 S



Portofino oak 6395 | Wood effect | LD 75 | LD 75 S



Mississippi Wood 6404 | Wood effect | LD 75 | LD 75 S



Walnut 6440 | Wood effect | LC 75 | LC 75 S



Amore walnut 6389 | Wood effect | LD 95 | LD 95 S




Black Pearl 6418 | Decor | LD 95



Brown Chiemsee oak 6377 | Wood effect | LD 75 | LD 75 S

Laminate flooring Classic



Luxury Club 6407 | Decor | LD 75 | LD 75 S

LB 85


- | Wear class 23 | 32
- | All-round V-bevel
- | Click system: Masterclic Plus
- | MEISTER warranty* 20 years in living areas, 5 years in commercial areas
- | Thickness: 8mm
- | Effective measurement: 853 x 395mm

LD 95 | LD 95 S

- | 1-Strip (plank)
- | Wear class 23 | 32
- | All-round V-bevel
- | Available on request with sound-absorbing cushion
- | Click system: Masterclic Plus
- | MEISTER warranty* 20 years in living areas, 5 years in commercial areas
- | Thickness: 8mm (9.5mm with sound-absorbing cushion)
- | Effective measurement: 2052 x 220mm

LD 75 | LD 75 S

- | 1-Strip (plank)
- | Wear class 23 | 32
- | All-round V-bevel
- | Available on request with sound-absorbing cushion
- | Click system: Multiclic
- | MEISTER warranty* 20 years in living areas, 5 years in commercial areas
- | Thickness: 8mm (9.5mm with sound-absorbing cushion)
- | Effective measurement: 1288 x 198mm



Slate anthracite 6137 | Imitation | LB 85

LC 75 | LC 75 S

- | 1-Strip | 2-Strip | 3-Strip
- | Wear class 23 | 32
- | Available on request with sound-absorbing cushion
- | Click system: Multiclic
- | MEISTER warranty* 20 years in living areas, 5 years in commercial areas
- | Thickness: 8mm (9.5mm with sound-absorbing cushion)
- | Effective measurement: 1288 x 198mm

LC 55 | LC 55 S

- | 1-Strip | 2-Strip | 3-Strip
- | Wear class 23 | 31
- | Available on request with sound-absorbing cushion
- | Click system: Multiclic
- | MEISTER warranty* 15 years in living areas, 5 years in commercial areas
- | Thickness: 7mm (8.5mm with sound-absorbing cushion)
- | Effective measurement: 1288 x 198mm

* Warranty according to the MeisterWerke warranty conditions at www.meister.com

Laminate flooring Melango



Nordic spruce 6383 | Wood effect | LD 300|25 | LD 300|25 S



White oak harmonious 6139 | Wood effect | LD 300|25 | LD 300|25 S



Polar oak 6381 | Wood effect | LD 300|25 | LD 300|25 S



Atacama oak 6380 | Wood effect | LD 300|25 | LD 300|25 S



Cappuccino spruce 6384 | Wood effect | LD 300|25 | LD 300|25 S



White grey oak 6277 | Wood effect | LD 300|25 | LD 300|25 S

Laminate flooring Melango



Mohair grey vintage oak 6288 | Wood effect | LD 300|25 | LD 300|25 S



Caramel oak 6276 | Wood effect | LD 300|25 | LD 300|25 S



Toffee oak 6275 | Wood effect | LD 300|25 | LD 300|25 S



Dakar oak 6385 | Wood effect | LD 300|25 | LD 300|25 S



Medici oak 6410 | Wood effect | LD 300|25 | LD 300|25 S



Cappuccino cracked vintage oak 6317 | Wood effect | LD 300|25 | LD 300|25 S



Barrique oak 6411 | Wood effect | LD 300|25 | LD 300|25 S



Bargello oak 6423 | Wood effect | LD 300|25 | LD 300|25 S

Laminate flooring Melango



Savannah oak 6382 | Wood effect | LD 300|25 | LD 300|25 S



Tempranillo oak 6424 | Wood effect | LD 300|25 | LD 300|25 S

LD 300|25 | LD 300|25 S

- | 1-Strip (plank)
- | Wear class 23 | 32
- | All-round V-bevel
- | Comprehensive protection against humidity: AquaSafe system
- | Diamond Pro surface
- | Antistatic surface
- | Available on request with sound-absorbing cushion
- | Click system: Masterclic Plus
- | MEISTER warranty* 25 years in living areas, 5 years in commercial areas
- | Thickness: 9mm (11.5mm with sound-absorbing cushion)
- | Effective measurement: 2052 x 248mm

Product protected by patent: DE 102006001 155 | RU 237 2208


Laminate flooring Melango



White oak harmonious 6139 | Wood effect | LD 300|20 | LD 300|20 S



Arctic white oak 6503 | Wood effect | LD 300|20 | LD 300|20 S



Pure ash 6286 | Wood effect | LD 300|20 | LD 300|20 S



Silver-grey pine 791 | Wood effect | LD 300|20 | LD 300|20 S



Light vintage pine 6283 | Wood effect | LD 300|20 | LD 300|20 S



Cream grey oak 6285 | Wood effect | LD 300|20 | LD 300|20 S



White grey oak 6277 | Wood effect | LD 300|20 | LD 300|20 S



Clay oak 6433 | Wood effect | LD 300|20 | LD 300|20 S


Laminate flooring Melango



Sand oak 6435 | Wood effect | LD 300|20 | LD 300|20 S



Chocolate oak 6436 | Wood effect | LD 300|20 | LD 300|20 S



Velvet oak 6434 | Wood effect | LD 300|20 | LD 300|20 S



Dark vintage pine 6437 | Wood effect | LD 300|20 | LD 300|20 S



Grey oak 6132 | Wood effect | LD 300|20 | LD 300|20 S



Light oak 286 | Wood effect | LD 300|20 | LD 300|20 S



Light oak harmonious 6133 | Wood effect | LD 300|20 | LD 300|20 S



Medium oak 6131 | Wood effect | LD 300|20 | LD 300|20 S

Laminate flooring Melango



Natural oak 287 | Wood effect | LD 300|20 | LD 300|20 S



Brown oak 6036 | Wood effect | LD 300|20 | LD 300|20 S



Walnut lively 6140 | Wood effect | LD 300|20 | LD 300|20 S



Smoked oak 6035 | Wood effect | LD 300|20 | LD 300|20 S

LD 300|20 | LD 300|20 S

- | 1-Strip (plank)
- | Wear class 23 | 32
- | Longitudinal V-bevel
- | Comprehensive protection against humidity: AquaSafe system
- | Diamond Pro surface
- | Antistatic surface
- | Available on request with sound-absorbing cushion
- | Click system: Masterclic Plus
- | MEISTER warranty* 25 years in living areas, 5 years in commercial areas
- | Thickness: 9mm (11.5mm with sound-absorbing cushion)
- | Effective measurement: 2052 x 208mm

Product protected by patent: DE 102006001 155 | RU 237 2208

* Warranty according to the MeisterWerke warranty conditions at www.meister.com

Laminate flooring Micala



Marzipan oak 6268 | Wood effect | LD 200 | LD 200 S



Light oak 6444 | Wood effect | LD 200 | LD 200 S



Aspen oak 6427 | Wood effect | LD 200 | LD 200 S



Light timber 6279 | Wood effect | LD 200 | LD 200 S



Boathouse oak 6188 | Wood effect | LD 200 | LD 200 S



Milano oak 6391 | Wood effect | LD 200 | LD 200 S



Nova oak 6413 | Wood effect | LD 200 | LD 200 S



West Side 6397 | Wood effect | LD 200 | LD 200 S

Laminate flooring Micala



Lyed oak 6173 | Wood effect | LD 200 | LD 200 S



Patina Wood 6398 | Wood effect | LD 200 | LD 200 S



Cashmere spruce 6379 | Wood effect | LD 200 | LD 200 S



Casablanca oak 6414 | Wood effect | LD 200 | LD 200 S



Light boathouse oak 6259 | Wood effect | LD 200 | LD 200 S



Chianti oak 6392 | Wood effect | LD 200 | LD 200 S



Muscat oak 6416 | Wood effect | LD 200 | LD 200 S



Style Factory 6408 | Decor | LD 200 | LD 200 S

Laminate flooring Micala



Tundra oak 6415 | Wood effect | LD 200 | LD 200 S



Black Pearl 6418 | Decor | LD 200 | LD 200 S

LD 200 | LD 200 S

- | 1-Strip (plank)
- | Wear class 23 | 32
- | Longitudinal V-bevel
- | All-round V-bevel for decor Style Factory 6408
- | Comprehensive protection against humidity: AquaSafe system
- | Diamond Pro surface
- | Antistatic surface
- | Available on request with sound-absorbing cushion
- | Click system: Masterclic Plus
- | MEISTER warranty* 25 years in living areas, 5 years in commercial areas
- | Thickness: 8mm (10.5mm with sound-absorbing cushion)
- | Effective measurement: 1287 x 198mm

Laminate flooring Micala



Snow-white larch 6320 | Wood effect | LC 200 | LC 200 S



Light oak 6444 | Wood effect | LC 200 | LC 200 S



Light oak 6011 | Wood effect | LC 200 | LC 200 S



White sand oak 6431 | Wood effect | LC 200 | LC 200 S



Milano oak 6391 | Wood effect | LC 200 | LC 200 S



Vitus oak 6430 | Wood effect | LC 200 | LC 200 S

Laminate flooring Micala



Nova oak 6413 | Wood effect | LC 200 | LC 200 S



Natural rustic oak 6135 | Wood effect | LC 200 | LC 200 S



Lyed oak 6173 | Wood effect | LC 200 | LC 200 S



Monclair oak 6432 | Wood effect | LC 200 | LC 200 S



Maple 6017 | Wood effect | LC 200 | LC 200 S



Royal beech 6388 | Wood effect | LC 200 | LC 200 S



Maple 202 | Wood effect | LC 200 | LC 200 S



Beech 6201 | Wood effect | LC 200 | LC 200 S

Laminate flooring Micala



Oak 462 | Wood effect | LC 200 | LC 200 S



Casablanca oak 6414 | Wood effect | LC 200 | LC 200 S



Trentino oak 6393 | Wood effect | LC 200 | LC 200 S



Chianti oak 6392 | Wood effect | LC 200 | LC 200 S




Café latte oak 6267 | Wood effect | LC 200 | LC 200 S



Provence oak 6394 | Wood effect | LC 200 | LC 200 S



Muscat oak 6416 | Wood effect | LC 200 | LC 200 S



Walnut 211 | Wood effect | LC 200 | LC 200 S

Laminate flooring Micala



Amore walnut 6389 | Wood effect | LC 200 | LC 200 S



Tundra oak 6415 | Wood effect | LC 200 | LC 200 S

LC 200 | LC 200 S

- | 1-Strip | 2-Strip | 3-Strip
- | Wear class 23 | 32
- | Comprehensive protection against humidity: AquaSafe system
- | Diamond Pro surface
- | Antistatic surface
- | Available on request with sound-absorbing cushion
- | Click system: Masterclic Plus
- | MEISTER warranty* 25 years in living areas, 5 years in commercial areas
- | Thickness: 8mm (10.5mm with sound-absorbing cushion)
- | Effective measurement: 1287 x 198mm

Laminate flooring Talamo



Opaque white oak 6536 | Wood effect | LS 300 | LS 300 S




Sea Side 6417 | Wood effect | LS 300 | LS 300 S



Bodega oak 6403 | Wood effect | LS 300 | LS 300 S



Vanilla oak 6265 | Wood effect | LS 300 | LS 300 S



Natural oak 6446 | Wood effect | LS 300 | LS 300 S



Maple 6017 | Wood effect | LS 300 | LS 300 S



Cappuccino oak 6263 | Wood effect | LS 300 | LS 300 S



Arcadia oak 6412 | Wood effect | LS 300 | LS 300 S

Laminate flooring Talamo



Dark oak 6445 | Wood effect | LS 300 | LS 300 S



Verona oak 6447 | Wood effect | LS 300 | LS 300 S



Nova oak 6413 | Wood effect | LS 300 | LS 300 S



Muscat oak 6416 | Wood effect | LS 300 | LS 300 S

LS 300 | LS 300 S

- | 1-Strip (plank)
- | Wear class 23 | 32
- | All-round V-bevel
- | Comprehensive protection against humidity: AquaSafe system
- | Diamond Pro surface
- | Antistatic surface
- | Available on request with sound-absorbing cushion
- | Click system: Masterclic Plus
- | MEISTER warranty* 25 years in living areas, 5 years in commercial areas
- | Thickness: 8mm (10.5mm with sound-absorbing cushion)
- | Effective measurement: 1287 x 140mm

* Warranty according to the MeisterWerke warranty conditions at www.meister.com

Every day a masterpiece

We have been impressing with innovative products, practical system solutions and attractive designs for more than 80 years. We are constantly developing ourselves, our company and our range. As we know: you expect the best all the time. And that's what we want to give you.

| MEISTER is committed to its location.

We think internationally but remain a German company – 640 employees guarantee Made in Germany premium quality day in day out.

| MEISTER is a leading innovator.

Intelligent ideas make us the driving force behind the industry – over 200 patents and utility models are impressive evidence of this.

| MEISTER accepts responsibility for the environment.

We act sustainably in all areas – careful product selection protects resources and the climate.

| MEISTER stands for specialist retail.

We focus on reliable partnerships with specialist retail and specialist trade – our »100% PRO Producer/Dealer/Craftsmen« network guarantees first-class products, professional advice and expert assembly.



968019005A01 08|16



© 2016 by MeisterWerke Schulte GmbH

For reasons of printing technology, colours and structures may vary from the reproductions shown here.

We reserve the right to make changes. No responsibility is assumed for errors.

MEISTER – a brand of MeisterWerke Schulte GmbH

Johannes-Schulte-Allee 5 | 59602 Rüthen-Meiste | GERMANY

Phone +49 2952 816-0 | Fax +49 2952 816-66 | www.meister.com