



MEISTER

FREE H
IF YOU'RE I

Parquet flooring

MeisterParquet. longlife









MeisterParquet. longlife: Easy-to-maintain flooring for modern living

Totally natural, wonderfully warm, very durable and extremely attractive – parquet is all of these. The classic among flooring brings atmosphere to every room with wood. MEISTER parquet is especially easy to maintain and largely insensitive to compressive stress compared to conventional ready-made parquet. To ensure you can enjoy your parquet flooring for years to come!

Parquet the way it used to be: expensive, heavy solid wood planks or filigree sticks, painstakingly puzzled together and firmly glued to the subfloor. Pretty? Of course! But also pretty impractical. Nowadays parquet can also have a completely different look. We now know, for example: Wood is a valuable raw material that has to be handled responsibly and in a way that conserves resources. This is why parquet flooring from MEISTER does not consist of solid wood, but of three layers: a stable HDF middle layer (HDF = High Density Fibreboard) with a backing layer of simple spruce wood underneath and a covering layer of fine wood on the top.

This structure also has other advantages: Unlike solid parquet, MEISTER multi-layer parquet provides much greater dimensional stability, which means that it retains its shape even under the effects of heat or changing humidity. Much has changed in terms of installation as well: With modern click systems, MeisterParquet. longlife can also be installed as a floating floor – so it no longer has to be glued to the subfloor. This means that the flooring can be installed in large open living areas of up to 100 m² without the need for compensation profiles. For regular maintenance, frequent vacuum cleaning and, if necessary, damp mopping with an appropriate care product is sufficient. As you can see, modern multilayer parquet can be quite uncomplicated – from installation to maintenance, MeisterParquet. longlife is much easier than you think.

What makes MeisterParquet. longlife so special?

MeisterParquet is called "longlife" because we know: It simply stays beautiful longer! The reason for this is the sophisticated technology invested in the flooring. That's why give you the longlife guarantee (= 35 years)!

Stable

MeisterParquet. longlife is extremely durable and resilient. This is ensured by the extremely dimensionally stable and high-quality HDF middle layer. It stabilises the surface and largely makes it insensitive to pressure. The press-in behaviour responds much better to mechanical pressure loads than parquet flooring with a standard spruce middle layer.



Standard parquet flooring with spruce middle layer
(oak covering layer 3.6 mm)



MeisterParquet. longlife with HDF middle layer
(oak covering layer 2.5 mm)

Quiet

Our parquet reduces noise from developing with a very simple principle: greater mass produces less vibrations. By using the HDF middle layer the plank's own weight is increased by approx. 50 percent. The result: less vibrations, less room noise – more quiet.



| Approx. 50% greater
own weight
| HDF-middle layer
(approx. 800 kg|m³)



| Spruce middle
layer (approx.
540 kg|m³)





Energy-saving

Parquet on underfloor heating? Not a problem for MeisterParquet. longlife, as it transports the heat from hot water underfloor heating to the surface quickly and without losing much energy. The reason: In contrast to standard spruce boards, there are hardly any air pockets in the high density HDF middle layer that might have a heat-insulating effect. As a result, the heat from the underfloor heating quickly goes to where it should: your living space. This not only guarantees a high level of living comfort but also optimised heating costs.



Ecological

MeisterParquet. longlife actively contributes to environmental protection. The perfect combination of the 2.5 mm fine wood wear layer and the special HDF middle layer means that only roughly a tenth of wood, a valuable resource, is required to produce MEISTER parquet flooring compared to a solid wood floor. Despite the thinner wear layer, the parquet can be sanded multiple times.


Healthy living

MeisterParquet. longlife is a natural product. It has a moisture-regulating effect and ensures a healthy living climate. These floors are particularly hygienic thanks to them being easy to clean and maintain. You can be sure that all the processed raw materials are carefully selected and subjected to regular tests in our labs.

Easy to install

MeisterParquet. longlife is easy, quick and safe to install. Our innovative locking systems ensure easy installation, maximum precision fit and permanent joint locks. This also applies to so-called floating installations where the floor is not bonded. You can find tips and tricks for installation on www.meister.com.

Two things give MEISTER floors their amazingly long life: the high quality, carefully selected materials and the intelligent multi-layer structure. Together with the dimensionally stable HDF middle layer used by us, this guarantees you a tough floor that remains beautiful over many years. The *Weartec® Nature* and *Duratec Plus* surface finishes emphasise the character of the respective woods using high quality oils, waxes or varnish and ensure durable, easy to clean floors. MEISTER parquet is also suitable for laying on subfloors with controlled hot water underfloor heating.




www.blauer-engel.de/uz176

Except for Smoked oak





Surface overview





PS 400 from page 48
500 × 100 × 13 mm



PS 300 from page 54
1187 × 142 × 13 mm



PC 400 from page 60
2400 × 255 × 13 mm



PD 200 from page 70
2200 × 180 × 13 mm



PC 200 from page 78
2400 × 200 × 13 mm



MeisterParquet. longlife

PD 450

Welcome to the elite class:
The château plank collection

MeisterParquet. longlife PD 450

| 1-Strip (plank)
| Matt lacquered surface
| Longitudinal V-bevel and micro-bevel on the end
| Click system: Mastercllic Plus

| MEISTER Longlife warranty* in living areas
| Approx. 2.5 mm fine wood wear layer
| Thickness: 13 mm
| Effective measurement: 2400 × 255 mm

* Warranty according to the MeisterWerke warranty conditions at www.meister.com

MeisterParquet. longlife PD 450 | matt lacquered



Limed white oak lively 8594 | brushed



Pure oak lively 8595 | brushed



Off-white oak harmonious 8596 | brushed



Grey white oak harmonious 8774 | brushed



Oak harmonious 8171 | brushed



Oak lively 8593 | brushed









MeisterParquet. longlife PD 400

Elegant and spacious:
The plank collection

MeisterParquet. longlife PD 400

| 1-Strip (plank)
| Naturally oiled or matt lacquered surface
| Longitudinal V-bevel
| Click system: Mastercllic Plus

| MEISTER Longlife warranty* in living areas
| Approx. 2.5 mm fine wood wear layer
| Thickness: 13 mm
| Effective measurement: 2200 × 180 mm

* Warranty according to
the MeisterWerke
warranty conditions
at www.meister.com

MeisterParquet. longlife

PD 400 | naturally oiled



Limed polar white vital oak 8803 | brushed



White washed vital oak 8804 | brushed



Plain oak harmonious 8805 | brushed



White oak harmonious 8090 | brushed



Plain vital oak 8806 | brushed



Oak harmonious 8807 | brushed



Natural light oak lively 8552 | brushed



Vital oak 8808 | brushed



Oak lively 8091 | brushed



Gently smoked pure vital oak 8814 | brushed



Pure greige vital oak 8809 | brushed



Gently smoked oak harmonious 8810 | brushed



Gently smoked vital oak 8811 | brushed



Dry wood vital oak 8812 | brushed



Steamed vital oak 8813 | brushed



Smoked oak harmonious 8288 | brushed









MeisterParquet. longlife PD 400 | Pure greige vital oak 8809 | brushed | naturally oiled

MeisterParquet. longlife PD 400 | matt lacquered



Polar white oak harmonious 8081 | brushed



Off-white oak lively 8454



Limed off-white oak lively 8541 | brushed



Light grey vital oak 8801 | brushed



Cream grey oak harmonious 8802 | brushed



Pearl oak lively 8544



Pure oak harmonious 8540 | brushed



Pure vital oak 8492 | brushed



Limed cream oak lively 8545



Nevada oak harmonious 8365



Light grey oak lively 8548



Oak harmonious 8027 | brushed



Oak lively 8028 | brushed



Vital oak 8377 | brushed



American walnut lively 8275



Smoked oak lively 8031 | brushed











MeisterParquet. longlife

PS 500 | PS 400

Classic meets contemporary:
The herringbone collection

MeisterParquet. longlife PS 500

- | 1-Strip (strip parquet for herringbone look)
- | Naturally oiled or matt lacquered surface
- | All-round micro-bevel
- | Click system: UniZip

- | MEISTER Longlife warranty* in living areas
- | Approx. 2.5 mm fine wood wear layer
- | Thickness: 13 mm
- | Effective measurement: 710 × 142 mm

MeisterParquet. longlife PS 400

- | 1-Strip (strip parquet for herringbone look)
- | Lacquered surfaces
- | All-round micro-bevel
- | Click system: UniZip

- | MEISTER Longlife warranty* in living areas
- | Approx. 2.5 mm fine wood wear layer
- | Thickness: 13 mm
- | Effective measurement: 500 × 100 mm

* Warranty according to the MeisterWerke warranty conditions at www.meister.com

MeisterParquet. longlife

PS 500 | naturally oiled



Limed polar white vital oak 8803 | brushed



White washed vital oak 8804 | brushed



Plain oak harmonious 8805 | brushed



Oak harmonious 8807 | brushed



Vital oak 8808 | brushed



Pure greige vital oak 8809 | brushed



Gently smoked vital oak 8811 | brushed



Steamed vital oak 8813 | brushed











MeisterParquet. longlife

PS 500 | matt lacquered



Off-white limed oak harmonious 8815 | brushed



Pearl oak harmonious 8816 | brushed



Pure oak harmonious 8583 | brushed



Plain oak harmonious 8817 | brushed



Oak harmonious 8027 | brushed



Vital oak 8377 | brushed



American walnut lively 8044



Smoked oak harmonious 8052 | brushed











MeisterParquet. longlife
PS 400 | lacquered




Oak harmonious 8042 | brushed



Oak lively 8047 | brushed









MeisterParquet. longlife PS 300

Flexible and compact:
The maxi-strip format

MeisterParquet. longlife PS 300

| 1-Strip (strip parquet)
| Matt lacquered surface
| All-round micro-bevel
| Click system: Mastercllic Plus

| MEISTER Longlife warranty* in living areas
| Approx. 2.5 mm fine wood wear layer
| Thickness: 13 mm
| Effective measurement: 1187 × 142 mm

* Warranty according to
the MeisterWerke
warranty conditions
at www.meister.com

MeisterParquet. longlife PS 300 | matt lacquered



Off-white limed oak harmonious 8815 | brushed



Pearl oak harmonious 8816 | brushed



Plain oak harmonious 8817 | brushed



Pure oak harmonious 8583 | brushed



Oak harmonious 8027 | brushed



Vital oak 8377 | brushed



American walnut lively 8044



Smoked oak harmonious 8052 | brushed









MeisterParquet. longlife PC 400

Vivid multi-strip:
Unusual surfaces for individualists

MeisterParquet. longlife PC 400

| 3-strip
| Naturally oiled or matt lacquered surface
| Click system: Masterclick Plus
| MEISTER Longlife warranty* in living areas

| Approx. 2.5 mm fine wood wear layer
| Thickness: 13 mm
| Effective measurement: 2400 x 255 mm

* Warranty according to
the MeisterWerke
warranty conditions
at www.meister.com

MeisterParquet. longlife
PC 400 | naturally oiled



Plain vital oak 8820 | planked, brushed



Vital oak 8818 | planked, brushed



Pure greige vital oak 8819 | planked, brushed



Gently smoked vital oak 8821 | planked, brushed







MeisterParquet. longlife
PC 400 | matt lacquered



White vital oak 8823 | brushed



Plain vital oak 8824 | brushed



Vital oak 8822 | brushed



Gently smoked vital oak 8825 | brushed









MeisterParquet. longlife

PD 200 | PC 200

Reliable and versatile:
The diverse basic range

MeisterParquet. longlife PD 200

- | 1-strip (plank)
- | Naturally oiled or matt lacquered surface
- | Longitudinal V-bevel
- | Click system: Masterclic Plus

- | MEISTER Longlife warranty* in living areas
- | Approx. 2.5 mm fine wood wear layer
- | Thickness: 13 mm
- | Effective measurement: 2200 × 180 mm

MeisterParquet. longlife PC 200

- | 3-strip
- | Naturally oiled or lacquered surface
- | Click system: Masterclic Plus
- | MEISTER Longlife warranty* in living areas

- | Approx. 2.5 mm fine wood wear layer
- | Thickness: 13 mm
- | Effective measurement: 2400 × 200 mm

* Warranty according to the MeisterWerke warranty conditions at www.meister.com

MeisterParquet. longlife PD 200 | naturally oiled



Off-white rustic oak 8456 | brushed



Caramel rustic oak 8457 | brushed



Rustic oak 8166 | brushed



Authentic rustic oak 8645 | brushed



Golden brown rustic oak 8485 | brushed







MeisterParquet. longlife
PD 200 | matt lacquered



Off-white rustic oak 8489 | brushed



Pure rustic oak 8486 | brushed



Caramel rustic oak 8462 | brushed



Cream rustic oak 8325



Lyed-look rustic oak 8138 | brushed



Rustic oak 8137 | brushed



Golden brown rustic oak 8487 | brushed







MeisterParquet. longlife PC 200 | naturally oiled



White ash lively 8647 | brushed



Ash lively 8646 | brushed



Off-white oak lively 8349 | brushed



Greige oak lively 8648 | brushed



Steamed beech lively 8186



Oak lively 8187 | brushed



Golden brown oak lively 8475 | brushed







MeisterParquet. longlife
PC 200 | lacquered



Arctic white oak lively 8458¹



White ash lively 8476¹



Limed white oak lively 8480¹



Off-white oak lively 8460¹



Pure oak lively 8478¹ | brushed



Cream oak lively 8326¹



Canadian maple harmonious 943¹



Steamed beech harmonious 928¹



Steamed beech lively 921¹



Oak lively 903¹



Oak harmonious 910¹



American walnut harmonious 960



Smoked oak harmonious 8021¹ | brushed





1

2

Oiled or lacquered: The high-quality MEISTER surface finishes

Wood is a valuable natural resource, and we transform it into something very special; we approach our work with complete respect and a sensitive touch. Our surface finishes with high quality oils or varnishes accentuate the individual character of the wood and imbue it with long-lasting protection.

1

Matt lacquered

The matt varnish is a special surface treatment that makes our Longlife parquet flooring extremely durable and easy to maintain. It also accentuates the warmth and naturalness of wood and makes it look almost like untreated wood. The Duratec Plus varnish seal consists of seven layers in total. The mixture of components in the individual layers and their order takes into account that parquet floors may possibly be sanded down. The entire construction consists of a formaldehyde-free, UV-hardened and ecologically non-harmful acrylic varnish.

2

Naturally oiled

Natural oils and waxes are the basis for our Longlife parquet's naturally oiled surfaces. *Weartec® Nature* penetrates deep into the wood and forms a protective, breathable surface. This extra-matte, oxidatively dried type of finish creates a natural appearance with subtle brilliance, emphasises the grain as well as the structure, has a moisture-regulating effect and ensures a healthy living climate. All Longlife parquet floors with a *Weartec® Nature* surface are treated so that they are ready for residential use. After installation, they should only be treated with hard wax oil if they are located in commercial areas or areas where they are subjected to heavy use (such as hallways or kitchens). The maintenance intervals for the MEISTER natural oil / wax combination are longer than for conventional natural oil without wax. If necessary, minor damage can be re-oiled and thus partially repaired with or without sanding the affected area.


From harmonious to rustic: The parquet gradings

Harmonious



It's all about the natural mix: For the "harmonious" grading we choose woods with a calm look as well as a balanced and natural play on colours. They contain a few tightly intergrown knots and brownwood and do not have any sapwood. Occasional small cracked knots may appear and are expertly filled.

Lively



In this grading, we deliberately offer surfaces with strong colours and structures which emphasise the wood's natural character. Healthy knots, sapwood and brownwood are part of the overall lively image. Our oak planks and oak maxi strips do not have any sapwood in this grading. Cracked knots are professionally filled. Small cracks that cannot be filled and knots may occur.

In nature, no one tree is like another, and even within one tree, the wood can look very different. Exactly the same applies to parquet: As a living piece of nature, no plank is the same as any other; every single one is characterised by its structure, its variety of hues, and its surface treatment and

finish, resulting in different styles of floors that significantly shape the overall impression of a room. Our Longlife parquet in four gradings opens up a whole variety of options for you to find the most beautiful foundation for your home.

Vital

Rustic

Real woods with a distinctive variety of hues and structures provide the basis for this grading. The natural and raw character of the floor is emphasised by larger knots and varying degrees of cracks. There is no sapwood in this grading. Cracked knots and cracks are professionally filled. Small cracks that cannot be filled and knots may occur. In the PC 400 collection with naturally oiled surfaces, the knots and cracks are irregularly filled and, in combination with the irregularly produced joint pattern, the flooring has a particularly expressive look.

In this grading, we deliberately offer surfaces with strong colours and structures which emphasise the wood's natural character. Larger knots, occasional cracks and sapwood are part of the overall rustic look. Cracked knots and cracks are professionally filled. Small cracks that cannot be filled and knots may occur.



Parquet on the wall

Creative wall design with wood flooring

One thing is clear: an elegant wood surface lasts longer than any wallpaper and is a quantum leap in exclusive living. Whether it's full-surface wall cladding or a specially accentuated area, as a continuation to the flooring or a separate design statement: wood on walls influences a room's atmosphere, sound and the lighting effect in a unique way.

Is it still the floor? Or already the wall? Lines blur when MEISTER takes the flooring up the wall. How does it work? Amazingly simply! A simple system of metal rails and fixing clips ensures that Longlife parquet also cuts a fine figure on the wall. Real life in the third dimension.

You can make your walls more beautiful with all MeisterParquet. longlife collections up to 13 mm thick (except for: PS 500 and PS 400).







Accessories

With MEISTER you are sure that everything goes together! Underlay materials, skirting boards, profiles and ends – you get everything from one source, making your flooring into a long-lasting integrated furnishing solution that suits you perfectly.

Open to all styles – white skirting boards.

What does white have that other colours don't have? Openness that adapts to any style and the ability to effortlessly complement all other colours. That is why our skirting boards with white decor film enrich any living style and can be superbly combined with all floors. The large selection of different profile shapes enables you to also create classical and modern touches totally to your taste.



Skirting board 8 PK profile | Plain white gloss 324 (decorative film)



Skirting board 19 PK profile | Plain white gloss 324 (decorative film)



Colourful and with plenty of character – skirting boards you can paint yourself.

In the colour of your wall? To match your furniture? Or completely different? It's up to you: design your skirting boards totally according to your own ideas! Covered in a film that can be painted, these mouldings are the perfect canvas for you to realise your artistic vision. Let your creativity run wild!

Skirting board 8 PK profile | White paintable 2222 (individual colour)

A balanced look – with floor-matched skirting boards.

You quite rightly would like pure harmony within your own four walls, and that's from the ground up. You can achieve this effortlessly with skirting boards coordinated to the colour or decor of your floor. The balanced interplay between the floor and moulding is rounded off by the impressively consistent decor from moulding to moulding. This is how good perfect harmony looks.



Skirting board 3 PK profile | Golden brown oak 1165


Beautifully versatile: Skirting profiles at a glance



'How to': Moulding accessories


To ensure that even difficult corners and edges fit perfectly, MEISTER offers internal corners, external corners, end caps and connection pieces to match many mouldings. You can find the whole range at www.meister.com. Here, you will also find an overview of the different

profiles available for aligning adjacent floor coverings or French windows, suitable radiator rosettes, door stoppers and our recommended cleaning and protective care agents.



MEISTER Parquet stairs

Formal, elegant and a visual treat. Uniform stair design with original Longlife parquet: Flooring, steps, risers and stair edges made of the same wood. Edge profiles available in L and U versions. The profiles are available in all oak parquet flooring shades in the MeisterParquet. longlife collections PD 450, PD 400 and PD 200 (exceptions: smoked and steamed woods). We recommend that installation be performed by qualified specialist craftsmen.



The complete system counts: Underlay for high-quality flooring

Without good underlay, it's not a good floor. The underlay material has a significant influence on the durability of the flooring and is an important component of how the entire system functions as far as day-to-day wear is concerned. Premium quality flooring may suffer damage when laid on poor-quality underlay. High-quality underlay, on the other hand, ensures that your flooring will bring you lasting enjoyment; it prevents damage to the click connections through optimum pressure stability, for example, whereas excessively soft underlay can have a significantly negative effect on fold-down connections. When choosing an underlay material, both the sub-flooring and the flooring to be installed are important. Whether your sub-flooring is concrete, wooden floorboards, drywall or existing flooring such as tiles or stone: With a comprehensive underlay range, MEISTER ensures that every MEISTER floor can be laid on your sub-flooring.

Sub-flooring Underlay	Silence 25 DB	Silence 20	Silence 15 DB	Twin Control	Foam film	PE film
Wooden planks	–	✓	–	–	✓	–
Wood based boards, OSB boards, drywall elements	–	✓	–	–	✓	–
Mineral subfloors (e.g. cement screed, anhydride screed)	✓	✓ with PE film	✓	✓	✓ with PE film	✓
Mastic asphalt screed	–	✓	–	–	✓	–
Existing coverings (e.g. ceramic tiles and boards, natural stone, plastic)	✓	✓ with PE film	✓	✓	✓ with PE film	✓

MEISTER underlay materials:

Thanks to the special PUR mineral blend, MEISTER-Silence 25 DB, MEISTER-Silence 20 and MEISTER-Silence 15 DB are the perfect insulating underlay for effective sound absorption in the room and reduction of footfall transmitted to the rooms below. The high self-weight of the products also further improves their sound-absorbing properties. In the case of Silence 25 DB and 15 DB the vapour barrier is already integrated, eliminating the need to lay an additional PE film. This is also true for MEISTER Twin Control. The insulating underlay made from closed-cell, moisture-resistant, permanently elastic extruded polyurethane foam also features a practical, integrated self-adhesive strip along its length. With a roll length of 25 m, it is fast and easy to lay and additionally offers excellent footfall noise reduction. MEISTER foam film is an insulating underlay with a higher density than many other commercially available foam films; in combination with MEISTER PE-film, it provides optimum moisture protection.

All MEISTER underlay materials can be installed on underfloor heating. They comply with the technical bulletin provided by the European Producers of Laminate Flooring (EPLF) based on CEN/ TS 16354. The Silence products also meet the requirements of the technical bulletin issued by the Multilayer Modular Flooring Association (MMFA): 'Underlay Materials under Multilayer Modular Floor Coverings (MMF) – Test Standards and Performance Indicators' for Class 1 (with HDF core).

1. MEISTER Silence 25 DB with integrated vapour barrier | 3 mm
2. MEISTER Silence 20 | 2.5 mm
3. MEISTER Silence 15 DB with integrated vapour barrier | 2 mm
4. MEISTER Twin Control with integrated vapour barrier and adhesive strips | 2 mm
5. MEISTER foam film | 2 mm









© 2020 by MeisterWerke Schulte GmbH
Colours and textures may vary due to printing conditions.
We reserve the right to make changes. No responsibility is assumed for errors.

MEISTER – a MeisterWerke Schulte GmbH brand
Johannes-Schulte-Allee 5 | 59602 Rùthen-Meiste | GERMANY
Phone +49 2952 816-0 | Fax +49 2952 816-66 | www.meister.com



968007009A01 01|20

