



LAMINATE FLOORING

www.meister.com

Rooms full of life.

MEISTER




PAGE 04



PRODUCT PROPERTIES

PAGE 14



COLLECTIONS

Laminate flooring Classic	14
Laminate flooring Melango	22
Laminate flooring Talamo	28
Laminate flooring Micala	32

PAGE 40



DECORS

Laminate flooring Classic	41
Laminate flooring Melango	54
Laminate flooring Talamo	60
Laminate flooring Micala	62

PAGE 70



ACCESSORIES




Laminate flooring – the easy to maintain feel-good floor

Robust, easy to maintain, totally trendy and yet timeless – you can find your perfect room-mate with our laminate flooring. And the best thing is: if you want it to last a really long time. You'll see: you're definitely doing everything right with high-quality laminate flooring from MEISTER.

Laminate flooring

Classic

Product structure



Each layer of the MEISTER laminate flooring takes on specific tasks. This multi-layer structure's sophisticated interplay is responsible for our planks' inner and outer values. Many laminate floors from MEISTER are also available with an integrated sound-absorbing cushion. All floors are suitable for installation on subfloors with controlled hot water underfloor heating.



www.blauer-engel.de/uz176



LC 55



Laminate flooring: The easy to maintain feel-good floor



What is laminate flooring?

Laminate flooring has been the best selling hard floor covering for years and stands for easiness to clean and durability like no other floor. All-round uncomplicated flooring that requires very little attention and with which you keep a beautiful and resistant floor for many years to come – that's a guarantee.



Laminate flooring – truly ecological

Laminate flooring is made 100% from natural resources, notably wood. The heart is a board made of compressed wood fibres. On the underside there is a »backing« to stabilise it, and some floors have integrated insulation to prevent noise. On top is the laminate flooring's »face«, the decor paper e.g. with authentic wood or stone effects or really creative designs. The top layer (the walking layer) consists of resistant melamine resin and gives the laminate flooring its incredible durability and ease of maintenance.




Why does laminate flooring with-stand so much?

Laminate is one of the most robust flooring that exists. Thanks to layers stably bonded together you get a floor on which you can really live it up – and for many years to come. The laminate surface made from natural melamine resin effectively protects the floor against external influences – from children's toys to pets' claws.

Laminate flooring

Premium

Product structure



www.bauer-engel.de/uz176



Laminate flooring: Success all-round

Nature is a master of form and colour. Our claim for Premium laminate flooring from MEISTER is to get as close to this as possible. To do this we take the utmost care when developing our decor. We are only satisfied once you can no longer see the difference between the surfaces and real wood, stone or other natural models at first glance. Structures specially coordinated to the individual surfaces ensure the greatest possible degree of natural reproduction. Yet our Premium laminate flooring is not only convincing in terms of looks. Their technical advantages make the special flooring experience perfect.



Antistatic finish

All Premium laminate flooring from MEISTER also has an antistatic finish. This minimises the development of static electricity on people to < 2 kV and thus protects against a lot of discharge on metal objects, e.g. when touching a door handle.



Special »AquaSafe« HDF middle layer

The high-density anti-swelling HDF middle layer with a weight of 890 kg/m³ is extremely pressure-mark resistant and the precise profiling of the tongue/groove joint ensures a permanent join.



Diamond Pro® surface

The special Diamond Pro surface provides special resistance against micro-scratches and abrasion and offers additional protection against wear.





Sound-absorbing cushion

All our Premium laminate flooring collections are also available with integrated sound-absorbing cushion. MEISTER processes a heavy, elastic soundabsorbing cushion made of high-quality PUR mineral blend (2.5 mm). This optimally reduces the noise levels and is also able to balance out minor unevenness in the floors. It creates a firm and flat contact with the subfloor and also counteracts the development of noise. Last but not least, the sturdy construction of our laminate planks makes a decisive contribution to noise reduction: Because the heavier and thicker a plank is, the more muffled and quieter it is to walk on. MEISTER laminate flooring with integrated noise reduction is thus really quiet under foot and creates an atmosphere of well-being in terms of acoustics, too.



Easy to maintain and resistant to cleaning water

Vacuum cleaning is perfectly adequate with everyday dirt. The surface does not have to be oiled or sealed in a time-consuming process, it remains beautiful for many years almost by itself. Cleaning even works without problems where floors are heavily soiled, because MEISTER laminate flooring is resistant to cleaning water – no swelling, no warping. The homogeneous surfaces does not allow humidity to penetrate and the specially developed and patented geometry of the click profile ensures sealed joints.



Precise and accurate fitting

The high-quality technical production with frequent tool changes ensures optimal precision of fitting of the individual laminate planks.





No plasticisers

This floor does not contain any phthalates and other plasticisers and is completely non-harmful to health.



AquaSafe system

All Premium laminate flooring from MEISTER is suitable for humid rooms*, as they have the comprehensive protection against humidity: AquaSafe system. This consists of three effective elements that protect the floor from any moisture penetrating:

» Surface protection

The multi-layered and impregnated surfaces ensure effective protection against moisture.

» Floor protection at the edge

The specially developed and patented geometry of the click mechanism that works with pretension guarantees that the profile is sealed tightly and permanently.

» Anti-swelling base board

The »AquaSafe« effective anti-swelling board can largely prevent swelling in the event of contact with water.

*So-called »humid rooms« are all rooms with higher but not permanent moisture and/or with periodically high humidity, e.g. bathrooms. This does not include outdoor areas and wet rooms, e.g. saunas, shower cubicles, steam rooms and rooms with a floor drain.


Please note: Do not leave puddles of water/spills to dry on the surface but wipe up and wipe dry immediately (within 30 minutes).



Extended warranty in living areas

We are so convinced of the quality of our Premium laminate flooring that we give you an extra long warranty on it. Up to 25 years in living areas*.

Laminate flooring in its most beautiful form.





LD 300|25

LD 300|20

LAMINATE FLOORING MELANGO
Page 22



LS 300

LAMINATE FLOORING TALAMO
Page 28



LD 200

LC 200

LAMINATE FLOORING MICALA
Page 32





Laminate flooring Classic



Laminate flooring Classic LB 85

- | Wear class 23 | 32
- | All-round V-bevel
- | Click system: Mastercllic Plus
- | MEISTER warranty* 20 years in living areas,
5 years in commercial areas
- | Thickness: 8 mm
- | Effective measurement: 853 x 395 mm



Laminate flooring Classic LD 95 | LD 95 S

- | 1-strip (plank)
- | Wear class 23 | 32
- | All-round V-bevel
- | With sound-absorbing cushion on request (LD 95 S)
- | Click system: Mastercllic Plus
- | MEISTER warranty* 20 years in living areas,
5 years in commercial areas
- | Thickness: 8 mm (9.5 mm with sound-absorbing
cushion)
- | Effective measurement: 2052 x 220 mm



Laminate flooring Classic LD 75 | LD 75 S

- | 1-strip (plank)
- | Wear class 23 | 32
- | All-round V-bevel
- | With sound-absorbing cushion on request (LD 75 S)
- | Click system: Multiclic
- | MEISTER warranty* 20 years in living areas,
5 years in commercial areas
- | Thickness: 8 mm (9.5 mm with sound-absorbing
cushion)
- | Effective measurement: 1288 x 198 mm



Laminate flooring Classic LC 75 | LC 75 S

- | 1-strip | 2-strip | 3-strip
- | Wear class 23 | 32
- | With sound-absorbing cushion on request (LC 75 S)
- | Click system: Multiclic
- | MEISTER warranty* 20 years in living areas,
5 years in commercial areas
- | Thickness: 8 mm (9.5 mm with sound-absorbing
cushion)
- | Effective measurement: 1288 x 198 mm




Laminate flooring Classic LC 55 | LC 55 S

- | 1-strip | 2-strip | 3-strip
- | Wear class 23 | 31
- | With sound-absorbing cushion on request (LC 55 S)
- | Click system: Multiclic
- | MEISTER warranty* 15 years in living areas,
5 years in commercial areas
- | Thickness: 7 mm (8.5 mm with sound-absorbing
cushion)
- | Effective measurement: 1288 x 198 mm



Laminate flooring Classic | LC 55 | Modern Herringbone 6683 | Wood effect


**Laminate
flooring –**
The perfect
flooring solution
for your home





Simply beautiful.

Can you tell it apart from real wood? We can't either. Our elaborately produced decor sets trends and provides your home with the right setting. Regardless of which decor you choose. As: MEISTER laminate flooring doesn't just look real but feels real too.



Laminate flooring Classic | LD 75 | Mississippi Wood 6404 | Wood effect

MEISTER



Simply robust.

Real life happens here. Good job there's a floor that forgives plenty. The durable MEISTER laminate flooring is the perfect base for adventurous everyday life and is good to you all-round. As it does not contain any PVC and is produced without using any harmful plasticisers or solvents.

Simply easy to maintain.

Boredom is a thing of the past. Today kitchens are control centres, wellness oases and where everything happens – and not just at parties. Our laminate flooring even withstands big battles in the kitchen. All traces are removed from the wipe resistant surface in no time at all and peace is once again restored. Until the next time.



Laminate flooring Classic | LD 75 | Light Chiemsee oak 6376 | Wood effect

Laminate flooring Melango

Long and wide:
Planks for spacious rooms

Melango has become a classic among laminate planks in just a few years. It combines the robustness of laminate flooring with the authentic look of a plank. Over more than two metres every plank shows off perfect decor that is not repeated on the plank. Together with other details like the longitudinal or all-round joint, this ensures a look where even experts can't tell the difference from a wooden floor without looking twice.



Laminate flooring Melango

LD 300|25 | LD 300|25 S

- | 1-strip (plank)
- | Wear class 23|32
- | All-round V-bevel
- | Comprehensive protection against humidity:
AquaSafe system
- | Diamond Pro surface
- | Antistatic surface
- | With sound-absorbing cushion on request
- | Click system: Mastercllic Plus
- | MEISTER warranty*
25 years in living areas,
5 years in commercial areas
- | Thickness: 9 mm
(11.5 mm with sound-absorbing cushion)
- | Effective measurement: 2052 × 248 mm
- | Product protected by patent:
DE 102006001 155 | RU 237 2208



Laminate flooring Melango

LD 300|20 | LD 300|20 S

- | 1-strip (plank)
- | Wear class 23|32
- | Longitudinal V-bevel
- | Comprehensive protection against humidity:
AquaSafe system
- | Diamond Pro surface
- | Antistatic surface
- | With sound-absorbing cushion on request
- | Click system: Mastercllic Plus
- | MEISTER warranty*
25 years in living areas,
5 years in commercial areas
- | Thickness: 9 mm
(11.5 mm with sound-absorbing cushion)
- | Effective measurement: 2052 × 208 mm
- | Product protected by patent:
DE 102006001 155 | RU 237 2208

Rural?
No,
country!



**MEISTER**

Everything comes together here: Cosiness, family life, solidarity – and plenty of warmth! The perfect little world, but always looking past the end of your nose. Because we say yes to cocooning, no to barricading yourself in!



Living for advanced users

Don't worry, no-one is going to banish you to the desert. But »Atacama« still stands for (almost) infinite expanses in the MEISTER laminate range: Because just as generous and detailed as this architecture is the MEISTER Premium laminate flooring in long plank format, thus perfectly supporting the effect of the room.



Laminate flooring Talamo

Narrow and elegant:
Expressive strips

High quality laminate flooring makes a good impression anywhere. The »Talamo« collection with its select surfaces and structures, which are perfectly coordinated to the format of these narrow planks, is a perfect example of this. What is characteristic for »Talamo« are the intensive decors where the natural wooden look is also additionally accentuated by elegant pore structures. Allowing you to create perfect looking rooms for your home.



Laminate flooring Talamo

LS 300 | LS 300 S

- | 1-strip
- | Wear class 23|32
- | All-round V-bevel
- | Comprehensive protection against humidity:
AquaSafe system
- | Diamond Pro surface
- | Antistatic surface
- | With sound-absorbing cushion on request
- | Click system: Masterclic Plus
- | MEISTER warranty*
25 years in living areas,
5 years in commercial areas
- | Thickness: 8 mm
(10.5 mm with sound-absorbing cushion)
- | Effective measurement: 1287 × 140 mm

Goes down deep





Widen your gaze without losing sight of the floor. This is how to keep a clear overview – and a cool head. Because, just among ourselves: chaos usually happens quite by itself And is only half as bad and twice as good to cope with when you have the right flooring.

MEISTER

Laminate flooring Micala

Sophisticated and compact:
The all-rounder

At just over 1.20 m long, the »Micala« laminate flooring shows off its very best side. A huge variety of decors from totally classic to rather unusual can be combined as 1-strip or 3-strip with all interior design styles. A variant can be found for lovers of traditional wooden decor too of course. It's your choice: With longitudinal joints you create the perfect plank look, the seamless decors on the other hand ensure an even and harmonious looking floor.



Laminate flooring Micala LD 200 | LD 200 S

- | 1-strip (plank)
- | Wear class 23|32
- | Longitudinal V-bevel
- | All-round V-bevel for decor Style Factory 6408
- | Comprehensive protection against humidity:
AquaSafe system
- | Diamond Pro surface
- | Antistatic surface
- | With sound-absorbing cushion
- | Click system: Masterclíc Plus
- | MEISTER warranty*
25 years in living areas,
5 years in commercial areas
- | Thickness: 10.5 mm
(8 mm without sound-absorbing cushion)
- | Effective measurement: 1287 × 198 mm



Laminate flooring Micala LC 200 | LC 200 S

- | 1-strip | 2-strip | 3-strip
- | Wear class 23|32
- | Comprehensive protection against humidity:
AquaSafe system
- | Diamond Pro surface
- | Antistatic surface
- | With sound-absorbing cushion on request
- | Click system: Masterclíc Plus
- | MEISTER warranty*
25 years in living areas,
5 years in commercial areas
- | Thickness: 8 mm
(10.5 mm with sound-absorbing cushion)
- | Effective measurement: 1287 × 198 mm



Wonderfully stylish

It is a well-known fact that style is not everyone's cup of tea, but it can be learnt. It's certainly better in any case if you already have it. In which case Premium laminate flooring from MEISTER could be the start of a huge love affair. Because there are few floor coverings to match it in terms of style. What do you think?



MEISTER

Down to **earth**





It doesn't always have to be oak: beech, in a quite royal interpretation, is also popular for flooring and contributes to a perfect living feeling in a quiet and balanced way. Without rough edges, but very confident, MEISTER Premium laminate flooring forms a perfect basis for your home once again.

MEISTER



Copes **with** everything

Just take a quick look at your emails... then off you go to the kitchen. The dinner party starts at 7 pm. Slow food of course. Something shaken, not stirred, first, and then? Off into the night or prefer to celebrate at home? What a good thing it is if you have a floor that can cope with everything. Beautifully simple.



MEISTER

Laminate flooring

Decors

LAMINATE FLOORING CLASSIC | LB 85

LAMINATE FLOORING CLASSIC | LD 95 | LD 95 S

LAMINATE FLOORING CLASSIC | LD 75 | LD 75 S

LAMINATE FLOORING CLASSIC | LC 75 | LC 75 S

LAMINATE FLOORING CLASSIC | LC 55 | LC 55 S


LAMINATE FLOORING MELANGO | LD 300|25 | LD 300|25 S

LAMINATE FLOORING MELANGO | LD 300|20 | LD 300|20 S


LAMINATE FLOORING TALAMO | LS 300 | LS 300 S

LAMINATE FLOORING MICALA | LD 200 | LD 200 S

LAMINATE FLOORING MICALA | LC 200 | LC 200 S



Laminate flooring Classic



White sandstone 6047 | Imitation | LB 85



Loft Style 6401 | Decor | LB 85



Cool Storm 6533 | Decor | LB 85



Slate grey 6136 | Imitation | LB 85

Laminate flooring Classic



Blue Metal 6544 | Decor | LB 85



Slate anthracite 6137 | Imitation | LB 85

Laminate flooring Classic

LB 85

| Wear class 23 | 32

| All-round V-bevel

| Click system: Masterclik Plus

| MEISTER warranty* 20 years in living areas, 5 years in commercial areas


| Thickness: 8 mm

| Effective measurement: 853 x 395 mm

Laminate flooring Classic




Opaque white oak 6536 | Wood effect | LD 95 | LD 95 S



Artisan ash 6402 | Wood effect | LD 95 | LD 95 S



White lyed oak 6181 | Wood effect | LD 95 | LD 95 S



Pacific oak 6581 | Wood effect | LD 95 | LD 95 S



Panopolis 6684 | Decor | LD 95 | LD 95 S



Distinctive pure oak 6273 | Wood effect | LD 95 | LD 95 S

Laminate flooring Classic



Cappuccino oak 6263 | Wood effect | LD 95 | LD 95 S



Boathouse oak 6188 | Wood effect | LD 95 | LD 95 S



Cappuccino sessile oak 6322 | Wood effect | LD 95 | LD 95 S



Arcadia oak 6412 | Wood effect | LD 95 | LD 95 S



Cracked Terra oak 6439 | Wood effect | LD 95 | LD 95 S



Light boathouse oak 6259 | Wood effect | LD 95 | LD 95 S



Nova oak 6413 | Wood effect | LD 95 | LD 95 S



Light cracked oak 6258 | Wood effect | LD 95 | LD 95 S

Laminate flooring Classic



Cognac rustic oak 6256 | Wood effect | LD 95 | LD 95 S



Amore walnut 6389 | Wood effect | LD 95 | LD 95 S

Laminate flooring Classic

LD 95 | LD 95 S

- | 1-strip (plank)
- | Wear class 23 | 32
- | All-round V-bevel
- | With sound-absorbing cushion on request (LD 95 S)
- | Click system: Masterclic Plus
- | MEISTER warranty* 20 years in living areas, 5 years in commercial areas
- | Thickness: 8 mm (9.5 mm with sound-absorbing cushion)
- | Effective measurement: 2052 x 220 mm

Laminate flooring Classic



White lyed oak 6181 | Wood effect | LD 75 | LD 75 S



Pacific oak 6581 | Wood effect | LD 75 | LD 75 S



Bodega oak 6403 | Wood effect | LD 75 | LD 75 S



Taverna oak 6428 | Wood effect | LD 75 | LD 75 S

Laminate flooring Classic



Habanera oak 6429 | Wood effect | LD 75 | LD 75 S



Cappuccino oak 6263 | Wood effect | LD 75 | LD 75 S



Caledonia oak 6421 | Wood effect | LD 75 | LD 75 S



Arcadia oak 6412 | Wood effect | LD 75 | LD 75 S



Mare oak 6582 | Wood effect | LD 75 | LD 75 S



Barista oak 6420 | Wood effect | LD 75 | LD 75 S



Light Chiemsee oak 6376 | Wood effect | LD 75 | LD 75 S



Cracked Terra oak 6439 | Wood effect | LD 75 | LD 75 S

Laminate flooring Classic



Mississippi Wood 6404 | Wood effect | LD 75 | LD 75 S



Brown Chiemsee oak 6377 | Wood effect | LD 75 | LD 75 S

Laminate flooring Classic

LD 75 | LD 75 S

- | 1-strip (plank)
- | Wear class 23 | 32
- | All-round V-bevel
- | With sound-absorbing cushion on request (LD 75 S)
- | Click system: Multiclic
- | MEISTER warranty* 20 years in living areas, 5 years in commercial areas
- | Thickness: 8 mm (9.5 mm with sound-absorbing cushion)
- | Effective measurement: 1288 x 198 mm

Laminate flooring Classic



Marzipan oak 6268 | Wood effect | LC 75 | LC 75 S



Sea Side 6417 | Wood effect | LC 75 | LC 75 S



White Life 6390 | Wood effect | LC 75 | LC 75 S



White lyed oak 6181 | Wood effect | LC 75 | LC 75 S



Taverna oak 6428 | Wood effect | LC 75 | LC 75 S



Distinctive pure oak 6273 | Wood effect | LC 75 | LC 75 S



Cappuccino oak 6263 | Wood effect | LC 75 | LC 75 S



Grey oak 6442 | Wood effect | LC 75 | LC 75 S

Laminate flooring Classic




Brushed Wood 6422 | Wood effect | LC 75 | LC 75 S



Barista oak 6420 | Wood effect | LC 75 | LC 75 S



Cappuccino cracked oak 6318 | Wood effect | LC 75 | LC 75 S



Oak 6441 | Wood effect | LC 75 | LC 75 S



Beech 461 | Wood effect | LC 75 | LC 75 S



Oak 462 | Wood effect | LC 75 | LC 75 S



Beech 6201 | Wood effect | LC 75 | LC 75 S



Silver spruce 6004 | Wood effect | LC 75 | LC 75 S

Laminate flooring Classic



Limed oak 6027 | Wood effect | LC 75 | LC 75 S



Oak 6443 | Wood effect | LC 75 | LC 75 S



Doussie 6509 | Wood effect | LC 75 | LC 75 S



Walnut 6440 | Wood effect | LC 75 | LC 75 S

Laminate flooring Classic

LC 75 | LC 75 S

| 1-strip | 2-strip | 3-strip

| Wear class 23 | 32

| With sound-absorbing cushion on request (LC 75 S)

| Click system: Multiclic

| MEISTER warranty* 20 years in living areas, 5 years in commercial areas

| Thickness: 8 mm (9.5 mm with sound-absorbing cushion)

| Effective measurement: 1288 x 198 mm

Laminate flooring Classic



White lyed spruce 6378 | Wood effect | LC 55 | LC 55 S



Modern Herringbone 6683 | Wood effect | LC 55 | LC 55 S



Marzipan oak 6268 | Wood effect | LC 55 | LC 55 S



Pacific oak 6581 | Wood effect | LC 55 | LC 55 S



Maple 202 | Wood effect | LC 55 | LC 55 S



Light cracked oak 6258 | Wood effect | LC 55 | LC 55 S



Marrakech oak 6396 | Wood effect | LC 55 | LC 55 S



Cracked Terra oak 6439 | Wood effect | LC 55 | LC 55 S

Laminate flooring Classic



Beech 6201 | Wood effect | LC 55 | LC 55 S



Natural oak 6067 | Wood effect | LC 55 | LC 55 S



Patina Wood 6398 | Wood effect | LC 55 | LC 55 S



Bridgewater oak 6685 | Wood effect | LC 55 | LC 55 S



Walnut 211 | Wood effect | LC 55 | LC 55 S

Laminate flooring Classic

LC 55 | LC 55 S

| 1-strip | 2-strip | 3-strip

| Wear class 23 | 31

| With sound-absorbing cushion on request (LC 55 S)

| Click system: Multiclic

| MEISTER warranty* 15 years in living areas, 5 years in commercial areas

| Thickness: 7 mm (8.5 mm with sound-absorbing cushion)

| Effective measurement: 1288 x 198 mm

* Warranty according to the MeisterWerke warranty conditions at www.meister.com

Laminate flooring Melango



Nordic spruce 6383 | Wood effect | LD 300|25 | LD 300|25 S



White oak harmonious 6139 | Wood effect | LD 300|25 | LD 300|25 S



Polar oak 6381 | Wood effect | LD 300|25 | LD 300|25 S



Atacama oak 6380 | Wood effect | LD 300|25 | LD 300|25 S



Cappuccino spruce 6384 | Wood effect | LD 300|25 | LD 300|25 S



White grey oak 6277 | Wood effect | LD 300|25 | LD 300|25 S

Laminate flooring Melango



Mohair grey vintage oak 6288 | Wood effect | LD 300|25 | LD 300|25 S



Caramel oak 6276 | Wood effect | LD 300|25 | LD 300|25 S



Toffee oak 6275 | Wood effect | LD 300|25 | LD 300|25 S



Dakar oak 6385 | Wood effect | LD 300|25 | LD 300|25 S



Medici oak 6410 | Wood effect | LD 300|25 | LD 300|25 S



Cappuccino cracked vintage oak 6317 | Wood effect | LD 300|25 | LD 300|25 S



Bargello oak 6423 | Wood effect | LD 300|25 | LD 300|25 S



Savannah oak 6382 | Wood effect | LD 300|25 | LD 300|25 S

Laminate flooring Melango



Tempranillo oak 6424 | Wood effect | LD 300|25 | LD 300|25 S

Laminate flooring Melango

LD 300|25 | LD 300|25 S

- | | |
|---|---|
| 1-strip (plank) | MEISTER warranty* |
| Wear class 23 32 | 25 years in living areas, |
| All-round V-bevel | 5 years in commercial areas |
| Comprehensive protection against
humidity: AquaSafe system | Thickness: 9 mm (11.5 mm with
sound-absorbing cushion) |
| Diamond Pro surface | Effective measurement: |
| Antistatic surface | 2052 × 248 mm |
| With sound-absorbing cushion on
request | Product protected by patent: |
| Click system: Masterclik Plus | DE 102006001 155 RU 237 2208 |

Laminate flooring Melango



White oak harmonious 6139 | Wood effect | LD 300|20 | LD 300|20 S



Arctic white oak 6503 | Wood effect | LD 300|20 | LD 300|20 S



Pure ash 6286 | Wood effect | LD 300|20 | LD 300|20 S



Silver-grey pine 791 | Wood effect | LD 300|20 | LD 300|20 S



Light vintage pine 6283 | Wood effect | LD 300|20 | LD 300|20 S



Cream grey oak 6285 | Wood effect | LD 300|20 | LD 300|20 S



White grey oak 6277 | Wood effect | LD 300|20 | LD 300|20 S



Clay oak 6433 | Wood effect | LD 300|20 | LD 300|20 S

Laminate flooring Melango



Sand oak 6435 | Wood effect | LD 300|20 | LD 300|20 S



Chocolate oak 6436 | Wood effect | LD 300|20 | LD 300|20 S



Velvet oak 6434 | Wood effect | LD 300|20 | LD 300|20 S



Dark vintage pine 6437 | Wood effect | LD 300|20 | LD 300|20 S



Grey oak 6132 | Wood effect | LD 300|20 | LD 300|20 S



Light oak 286 | Wood effect | LD 300|20 | LD 300|20 S



Light oak harmonious 6133 | Wood effect | LD 300|20 | LD 300|20 S



Medium oak 6131 | Wood effect | LD 300|20 | LD 300|20 S

Laminate flooring Melango



Natural oak 287 | Wood effect | LD 300|20 | LD 300|20 S



Brown oak 6036 | Wood effect | LD 300|20 | LD 300|20 S



Walnut lively 6140 | Wood effect | LD 300|20 | LD 300|20 S



Smoked oak 6035 | Wood effect | LD 300|20 | LD 300|20 S

Laminate flooring Melango

LD 300|20 | LD 300|20 S

- | | |
|--|--|
| 1-strip (plank) | MEISTER warranty* |
| Wear class 23 32 | 25 years in living areas, |
| Longitudinal V-bevel | 5 years in commercial areas |
| Comprehensive protection against humidity: AquaSafe system | Thickness: 9 mm (11.5 mm with sound-absorbing cushion) |
| Diamond Pro surface | Effective measurement: |
| Antistatic surface | 2052 × 208 mm |
| With sound-absorbing cushion on request | Product protected by patent: |
| Click system: Masterclik Plus | DE 102006001 155 RU 237 2208 |

MEISTER

Laminate flooring Talamo



Opaque white oak 6536 | Wood effect | LS 300 | LS 300 S



Sea Side 6417 | Wood effect | LS 300 | LS 300 S



Bodega oak 6403 | Wood effect | LS 300 | LS 300 S



Vanilla oak 6265 | Wood effect | LS 300 | LS 300 S



Natural oak 6446 | Wood effect | LS 300 | LS 300 S



Maple 6017 | Wood effect | LS 300 | LS 300 S



Cappuccino oak 6263 | Wood effect | LS 300 | LS 300 S



Arcadia oak 6412 | Wood effect | LS 300 | LS 300 S

Laminate flooring Talamo



Dark oak 6445 | Wood effect | LS 300 | LS 300 S



Verona oak 6447 | Wood effect | LS 300 | LS 300 S



Nova oak 6413 | Wood effect | LS 300 | LS 300 S



Muscat oak 6416 | Wood effect | LS 300 | LS 300 S

Laminate flooring Talamo

LS 300 | LS 300 S

- | | |
|--|--|
| 1-strip | Click system: Masterclik Plus |
| Wear class 23 32 | MEISTER warranty* |
| All-round V-bevel | 25 years in living areas, |
| Comprehensive protection against humidity: AquaSafe system | 5 years in commercial areas |
| Diamond Pro surface | Thickness: 8 mm (10.5 mm with sound-absorbing cushion) |
| Antistatic surface | Effective measurement: |
| With sound-absorbing cushion on request | 1287 × 140 mm |

MEISTER

Laminate flooring Micala



Marzipan oak 6268 | Wood effect | LD 200 | LD 200 S



Light oak 6444 | Wood effect | LD 200 | LD 200 S



Aspen oak 6427 | Wood effect | LD 200 | LD 200 S



Light timber 6279 | Wood effect | LD 200 | LD 200 S



Boathouse oak 6188 | Wood effect | LD 200 | LD 200 S



Milano oak 6391 | Wood effect | LD 200 | LD 200 S



Nova oak 6413 | Wood effect | LD 200 | LD 200 S



West Side 6397 | Wood effect | LD 200 | LD 200 S

Laminate flooring Micala



Lyed oak 6173 | Wood effect | LD 200 | LD 200 S



Patina Wood 6398 | Wood effect | LD 200 | LD 200 S



Cashmere spruce 6379 | Wood effect | LD 200 | LD 200 S



Casablanca oak 6414 | Wood effect | LD 200 | LD 200 S



Light boathouse oak 6259 | Wood effect | LD 200 | LD 200 S



Chianti oak 6392 | Wood effect | LD 200 | LD 200 S



Muscat oak 6416 | Wood effect | LD 200 | LD 200 S



Style Factory 6408 | Decor | LD 200 | LD 200 S

Laminate flooring Micala



Tundra oak 6415 | Wood effect | LD 200 | LD 200 S



Black Pearl 6418 | Decor | LD 200 | LD 200 S

Laminate flooring Micala

LD 200 | LD 200 S

- | | |
|-----------------------------------|-------------------------------|
| 1-strip (plank) | Click system: Masterclic Plus |
| Wear class 23 32 | MEISTER warranty* |
| Longitudinal V-bevel | 25 years in living areas, |
| All-round V-bevel for decor Style | 5 years in commercial areas |
| Factory 6408 | Thickness: 10.5 mm |
| Comprehensive protection against | (8 mm without sound-absorbing |
| humidity: AquaSafe system | cushion) |
| Diamond Pro surface | Effective measurement: |
| Antistatic surface | 1287 × 198 mm |
| With sound-absorbing cushion | |

Laminate flooring Micala



Snow-white larch 6320 | Wood effect | LC 200 | LC 200 S



Light oak 6444 | Wood effect | LC 200 | LC 200 S



Light oak 6011 | Wood effect | LC 200 | LC 200 S



White sand oak 6431 | Wood effect | LC 200 | LC 200 S



Milano oak 6391 | Wood effect | LC 200 | LC 200 S



Vitus oak 6430 | Wood effect | LC 200 | LC 200 S

Laminate flooring Micala



Nova oak 6413 | Wood effect | LC 200 | LC 200 S



Natural rustic oak 6135 | Wood effect | LC 200 | LC 200 S



Lyed oak 6173 | Wood effect | LC 200 | LC 200 S



Monclair oak 6432 | Wood effect | LC 200 | LC 200 S



Maple 6017 | Wood effect | LC 200 | LC 200 S



Royal beech 6388 | Wood effect | LC 200 | LC 200 S




Maple 202 | Wood effect | LC 200 | LC 200 S



Beech 6201 | Wood effect | LC 200 | LC 200 S

Laminate flooring Micala



Oak 462 | Wood effect | LC 200 | LC 200 S



Casablanca oak 6414 | Wood effect | LC 200 | LC 200 S



Trentino oak 6393 | Wood effect | LC 200 | LC 200 S



Chianti oak 6392 | Wood effect | LC 200 | LC 200 S




Café latte oak 6267 | Wood effect | LC 200 | LC 200 S



Provence oak 6394 | Wood effect | LC 200 | LC 200 S



Muscat oak 6416 | Wood effect | LC 200 | LC 200 S



Walnut 211 | Wood effect | LC 200 | LC 200 S

Laminate flooring Micala



Amore walnut 6389 | Wood effect | LC 200 | LC 200 S



Tundra oak 6415 | Wood effect | LC 200 | LC 200 S


Laminate flooring Micala

LC 200 | LC 200 S

- | | |
|--|--|
| 1-strip 2-strip 3-strip | Click system: Masterclik Plus |
| Wear class 23 32 | MEISTER warranty* |
| Comprehensive protection against humidity: AquaSafe system | 25 years in living areas,
5 years in commercial areas |
| Diamond Pro surface | Thickness: 8 mm (10.5 mm with sound-absorbing cushion) |
| Antistatic surface | Effective measurement: |
| With sound-absorbing cushion on request | 1287 × 198 mm |



MEISTER



Accessories

With MEISTER you are sure that everything goes together! Underlay materials, skirting boards, profiles and ends – you get everything from one source, making your flooring into a long-lasting integrated furnishing solution that suits you perfectly.

Open to all styles – **white skirting boards.**



What does white have that other colours don't have? Openness that adapts to any style and the ability to effortlessly complement all other colours. That is why our skirting boards with white decorative film enrich any living style and can be superbly combined with all floors. The large selection of different profile shapes enables you to also create classical and modern touches totally to your taste.



SKIRTING BOARD 8 PK PROFILE | PLAIN WHITE GLOSS 324 (DECORATIVE FILM)



SKIRTING BOARD 19 PK PROFILE | PLAIN WHITE GLOSS 324 (DECORATIVE FILM)



SKIRTING BOARD 8 PK PROFILE

Colourful and full of character – **skirting boards you can paint yourself.**

—

In the colour of your wall? To match your furniture? Or completely different? It's up to you: design your skirting boards totally according to your own ideas! Covered in a film that can be painted, these mouldings are prepared perfectly for you to realise your personal ideas. Let your creativity run wild!

A harmonious look – **with floor-matched skirting boards.**


—

You quite rightly would like pure harmony within your own four walls, and that's from the ground up. You can achieve this effortlessly with skirting boards coordinated to the colour or decor of your floor. The balanced interplay between the floor and moulding is rounded off by the impressively consistent decor from moulding to moulding. This is how good perfect harmony looks.



MEISTER

SKIRTING BOARD 3 PK PROFILE | ROYAL BEECH 6388 | WOOD EFFECT

Beautifully versatile: Skirting profiles at a glance




Skirting board
1 MK profile




Skirting board
2 PK profile



Skirting board
3 PK profile




Skirting board
5 PK profile



Skirting board
6 profile




Quarter round
7 profile




Skirting board
8 PK profile




Skirting board
9 PK profile




Skirting board
10 PK profile




Skirting board
11 PK profile




Skirting board
12 PK profile




Skirting board
13 PK profile




Skirting board
14 MK profile




Skirting board
15 MK profile



Skirting board
16 MK profile




Skirting board
17 profile



Skirting board
18 PK profile



Skirting board
19 PK profile




Skirting board
20 PK profile



Skirting board
20 PK Aqua profile

'How to': Moulding accessories

To ensure that even difficult corners and edges fit perfectly, MEISTER offers internal corners, external corners, end caps and connection pieces to match many mouldings. You can find the whole range at www.meister.com. Here, you will also find an overview of the different profiles available for aligning adjacent floor coverings or French windows, suitable radiator rosettes, door stoppers and our recommended cleaning and protective care agents.





MEISTER

The complete system counts: Underlay for high-quality flooring

Without good underlay, it's not a good floor. The underlay material has a significant influence on the durability of the flooring and is an important component of how the entire system functions as far as day-to-day wear is concerned. Premium-quality flooring may suffer damage when laid on poor-quality underlay. High-quality underlay, on the other hand, ensures that your flooring will bring you lasting enjoyment; it prevents damage to the click connections through optimum pressure stability, for example, whereas excessively soft underlay can have a significantly negative effect on fold-down connections. When choosing an underlay material, both the sub-flooring and the flooring to

be installed are important. Whether your sub-flooring is concrete, wooden floorboards, drywall or existing flooring such as tiles or stone:


With a comprehensive underlay range, MEISTER ensures that every MEISTER floor can be laid on your sub-flooring.

Sub-flooring Underlay	Silence 25 DB	Silence 20	Silence 15 DB	Twin Control	Foam film	PE film
Wooden floorboards	–	✓	–	–	✓	–
Composite wood boards, oriented strand boards, drywall	–	✓	–	–	✓	–
Mineral subfloors (e.g. cement screed, anhydrite screed)	✓	✓ with PE film	✓	✓	✓ with PE film	✓
Mastic asphalt screed	–	✓	–	–	✓	–
Existing flooring (e.g. ceramic tile, natural stone, polymer)	✓	✓ with PE film	✓	✓	✓ with PE film	✓

MEISTER underlay materials:

Thanks to the special PUR mineral blend, MEISTER-Silence 25 DB, MEISTER-Silence 20 and MEISTER-Silence 15 DB are the perfect insulating underlay for effective sound absorption in the room and reduction of footfall transmitted to the rooms below. The high self-weight of the products also further improves their sound-absorbing properties. In the case of Silence 25 DB and 15 DB the vapour barrier is already integrated, eliminating the need to lay an additional PE film. This is also true for MEISTER Twin Control. The insulating underlay made from closed-cell, moisture-resistant, permanently elastic extruded polyurethane foam also features a practical, integrated self-adhesive strip along its length. With a roll length of 25 m, it is fast and easy to lay and additionally offers excellent footfall noise reduction. MEISTER foam film is an insulating underlay with a higher density than many other commercially available foam films; in combination with MEISTER PE-film, it provides optimum moisture protection.

All MEISTER underlay materials can be installed on underfloor heating. They comply with the technical bulletin provided by the European Producers of Laminate Flooring (EPLF) based on CEN/TS 16354. The Silence products also meet the requirements of the technical bulletin issued by the Multilayer Modular Flooring Association (MMFA): 'Underlay Materials under Multilayer Modular Floor Coverings (MMF) – Test Standards and Performance Indicators' for Class 1 (with HDF core).



1. MEISTER Silence 25 DB with integrated vapour barrier | 3 mm
2. MEISTER-Silence 20 | 2.5 mm
3. MEISTER Silence 15 DB with integrated vapour barrier | 2 mm

4. MEISTER Twin Control with integrated vapour barrier and adhesive strips | 2 mm
5. MEISTER foam film | 2 mm





MEISTER

Every day a masterpiece.

We have been passionate about creating innovative products, practical system solutions and attractive designs for more than three generations: 80 years. We are constantly developing ourselves, our company and our range. As we know: you expect the best all the time. And that's what we want to give you.

MEISTER is committed to its location.

We think internationally but remain a German company – over 650 employees guarantee »Made in Germany« premium quality day in day out.

MEISTER is a leading innovator.

Intelligent ideas make us the driving force behind the industry – over 200 patents and utility models are impressive evidence of this.

MEISTER takes responsibility for the environment.

We act sustainably in all areas – careful product selection protects resources and the climate.

MEISTER stands by specialist retail.

We focus on reliable partnerships with specialist trade and specialist craftsmanship – our »100% PRO Producer/Dealer/Craftsmen« network guarantees first-class products, professional advice and expert assembly.



968009014A01 12|18



© 2018 by MeisterWerke Schulte GmbH
Colours and textures may vary due to printing conditions.
We reserve the right to make changes. No responsibility is assumed for errors.

MEISTER – a MeisterWerke Schulte GmbH brand
Johannes-Schulte-Allee 5 | 59602 Rùthen-Meiste | GERMANY
Phone +49 2952 816-0 | Fax +49 2952 816-66 | www.meister.com