



LOGLIFE PARQUET

www.meister.com

Rooms full of life.

MEISTER



PAGE 04



LOGLIFE PARQUET PRODUCT PROPERTIES

PAGE 18



COLLECTIONS

Longlife parquet Classic	20
Longlife parquet Penta	28
Longlife parquet Cottage	32
Longlife parquet Residence	40
Longlife parquet Style	44

PAGE 52



SURFACES

Longlife parquet Classic	53
Longlife parquet Penta	59
Longlife parquet Cottage	61
Longlife parquet Residence	70
Longlife parquet Style	75

PAGE 78



ACCESSORIES





Longlife parquet: **Real wood stays beautiful for longer.**

Do you prefer extra large formats, or do classic planks get your heart racing? Traditional herringbone in elegant oak, or modern surfaces in a planked vintage look? One thing is certain: You will find your dream flooring with MEISTER Premium Longlife parquet. Four collections are available, each with its own distinctive character: Penta, Cottage, Residence and Style. There is only one aspect that's always the same: the quality. That is non-negotiable with us!

Longlife parquet: Parquet for life!

The parquet from MEISTER is called Longlife parquet, as we know: **MEISTER parquet flooring simply stays beautiful longer!** The reason for this is the sophisticated technology invested in Longlife parquet.



What is Longlife?

- » Lasting surface beauty thanks to the pressure-resistant HDF middle layer
- » Permanent product stability with dimensionally stable design (HDF middle layer)
- » That's why we grant the MEISTER Longlife warranty
- » It lasts for an entire product lifecycle = 35 years



Standard, ready-made parquet with traditional spruce | fir middle layer made of grown wood



Modern ready-made parquet with dimensionally stable middle layer made of special HDF







Stable

Longlife parquet is extremely durable and very resilient. This is ensured by an extremely dimensionally stable and high quality HDF (HDF = High Density Fibreboard) middle layer. It stabilises the surface and makes it largely impervious to pressure. The press-in behaviour responds much better to mechanical pressure loads than parquet flooring with a standard spruce middle layer.



Standard parquet flooring with spruce middle layer
Oak covering layer: 3.6 mm



MEISTER Longlife parquet
HDF middle layer
Oak covering layer: 2.5 mm



Quiet

Our parquet reduces noise from developing with a very simple principle: greater mass produces less vibrations. By using a HDF middle layer the plank's own weight is increased by approx. 50 percent. The result: less vibrations, less room noise – more quiet.



| Approx. 50% greater own weight
| HDF middle layer (approx. 800 kg|m³)



| Spruce middle layer (approx. 540 kg|m³)



Easy to install

Longlife parquet is easy, quick and safe to install. Our innovative locking systems ensure easy installation, maximum precision fit and permanent joint locks. This also applies to so-called floating installations where the floor is not bonded.

You can find tips and tricks for installation on www.meister.com.



Healthy living

Our Longlife parquet is a natural product. It has a moisture-regulating effect and ensures a healthy living climate. These floors are particularly hygienic thanks to them being easy to clean and maintain. You can be sure that all the processed raw materials are carefully selected and subjected to regular tests in our labs.



Ecological

MEISTER Longlife parquet actively contributes to environmental protection. The perfect combination of the 2.5 mm fine wood wear layer and the special HDF middle layer means that only roughly a tenth of wood, a valuable resource, is required to produce MEISTER parquet flooring compared to a solid wood floor. Naturally, the parquet flooring can be renovated by sanding it down, if necessary.



Energy-saving

Parquet on underfloor heating? Not a problem for Longlife parquet as it transports the heat from hot water underfloor heating to the surface quickly and without losing much energy. The reason: In contrast to standard spruce boards, there are hardly any air pockets in the high density HDF middle layer that might have a heat insulating effect. As a result, the heat from the underfloor heating gets to where it should, your room, unhindered. This not only guarantees a high level of living comfort but also optimised heating costs.



Longlife parquet

The special product structure



Two things give MEISTER floors their amazingly long life: the high quality, carefully selected materials and the intelligent multi-layer construction. We combine this with a dimensionally stable HDF middle layer to guarantee you a resistant floor that remains beautiful for many years. The *Weartec®Nature* and *Duratec Plus* surface finishes emphasise the character of the respective woods using high quality oils, waxes or lacquer and ensure durable, easy to clean floors. MEISTER Longlife parquet is also suitable for laying on subfloors with controlled hot water underfloor heating.

Weartec® Nature surface

Natural oils and waxes penetrate deep into the wood and form a protective, breathable surface. This type of finish emphasises the grain as well as the structure, has a moisture-regulating effect and ensures a healthy living climate.

Duratec Plus surface

7-layer seal with formaldehyde-free, viscoplastic and UV-hardened acrylic lacquer. This lacquer is ecologically non-harmful, and its special composition makes it extremely durable and easy to maintain.

Fine wood wear layer

Made from 2.5 mm wood.

Middle layer

Special glued HDF middle layer for simple installation, dimensional stability and increased resistance to dents.

Backing

Made from Nordic spruce veneer for optimum strength.



www.blauer-engel.de/uz176

Except for Smoked oak



The mark of responsible forestry



What do 'lacquered' and 'naturally oiled' actually mean?

Wood is a valuable, natural resource that we transform into something really special with total respect and a sensitive touch. Our surface finishes with high quality oils or lacquers accentuate the respective wood's character and provide it with permanent protection.

lacquered

The lacquer is a special surface treatment that makes our Longlife parquet extremely durable and easy to clean. The Duratec Plus lacquer seal consists of seven layers in total; the mixture of lacqueres in the individual layers and their order takes into account that parquet flooring may possibly need to be sanded down. The entire construction consists of a formaldehyde-free, UV-hardened and ecologically non-harmful acrylic lacquer. The lacquer is available in three looks, lacquered, high-gloss lacquered and matt lacquered. Lacquered floors have an elegant, slightly glossy surface. The high-gloss lacquer looks extremely luxurious; matt lacquer, on the other hand, really brings out the best in many woods, lending them a warm, natural look.



high-gloss lacquered



lacquered



matt lacquered

naturally oiled

Natural oils and waxes are the basis for our Longlife parquet's naturally oiled surfaces. *Weartec® Nature* penetrates deep into the wood and forms a protective, breathable surface. This kind of finish creates a natural appearance with subtle brilliance, emphasises the grain as well as structure, has a moisture-regulating effect and ensures a healthy living climate. All Longlife parquet floors with a *Weartec® Nature* surface are treated so that they are ready for residential use. After installation, they only need to be treated with care oil if they are located in commercial areas or areas where they are subjected to heavy use (such as hallways or kitchens). However, the naturally oiled surface does require regular care to give the floor a natural shine and ensure exceptional resistance. It can be re-oiled and partly refinished without any sanding down, if needed.



naturally oiled

What does 'grading' actually mean?


In nature no one tree is like another and even within one tree the wood can have various different types of looks. Exactly the same applies to parquet: As a living piece of nature, no plank is the same as any other; every single one is characterised by its structure, its variety of hues, and its surface treatment and finish. Resulting in different looking floors that significantly shape the overall impression of a room.

Our Longlife parquet in eleven gradings opens up a whole variety of options for you to find the most beautiful foundation for your home.



Harmonious

It's all about the natural mix: For the 'harmonious' grading, we choose woods with a calm look as well as a balanced and natural variety of hues. They contain a few tightly intergrown knots and brownwood and do not have any sapwood. Occasional, professionally filled cracked knots may appear in the Penta PD 450 collection.



Ambience

For a calm overall look: Planks in this grading have a natural play on colours with a few small knots. Sapwood and slight cracks ensure the balanced interplay between liveliness and elegance.



Natural

Small knots, both intergrown and professionally filled, and a few occasional cracks ensure a balanced overall look. Small cracks that cannot be filled and knots may appear.



Lively

In this grading we deliberately offer surfaces with strong colours and structures, which emphasise the wood's natural character. Healthy knots, sapwood and brownwood are part of the overall lively image. Our oak planks and oak maxi strips do not have any sapwood. Cracked knots are professionally filled. Small cracks that cannot be filled and knots may appear.



Vital

Real woods with a distinctive play on colour and structure provide the basis for this grading. Larger knots and occasional cracks enhance the overall lively appearance. There is no sapwood with this grading. Cracked knots and cracks are professionally filled. Small cracks that cannot be filled and knots may appear.



Mountain

Based on the "distinctive" grading with its strong colours and structures, more sapwood and brownwood and distinctive knots, all cracked knots and cracks are deliberately unevenly filled and marked.



Authentic

Based on the "vital" grading, cracked knots and cracks are deliberately unevenly filled and marked here. This lends the laid floor a natural, really lively appearance.



Rustic

In this grading we deliberately offer surfaces with strong colours and structures, which emphasise the wood's natural character. Larger knots, occasional cracks and sapwood are part of the overall rustic image. Cracked knots and cracks are professionally filled. Small cracks that cannot be filled and knots may appear.



Country

Real woods with a distinctive play on colour and structure form the basis for this grading. Larger knots and occasional cracks are deliberately unevenly filled and marked and enhance the overall lively appearance. Together with the unevenly produced joint patterns between the individual strips and on the planks a really impressive surface results.



Canyon

In this grading, oak surfaces with a really special overall rustic impression and distinctive play on colours and structure are used. The natural and raw character of the floor is emphasised by larger knots and varying degrees of cracks, which are deliberately unevenly filled and marked.



Distinctive

An interesting, vibrant variety of hues and structures emphasises the distinctive character of this floor. Sapwood and brownwood as well as distinctive knots and occasional cracks define the floor's impressive appearance. Cracked knots and cracks are professionally filled. Small cracks that cannot be filled and knots may appear.

100% natural

Longlife parquet is a natural product. Consequently, differences in colour and structure are an expression of its authenticity. Wood is subject to typical changes in colour when exposed to direct sunlight. Depending on the intensity and light effect, light woods get darker or take on a yellow tinge. Darker woods get lighter. With smoked Longlife parquet, there are very specific shades of colour. The differences in colour on individual planks and from plank to plank caused by the varying tannin content in the wood is what distinguishes the natural parquet product.

Parquet care made easy

Maybe you've heard that parquet flooring is sensitive and hard to care for? We're here to tell you that it doesn't have to be that way! With our simple care tips, you'll be able to enjoy your natural parquet flooring for many years to come!

1

First clean after installation

Once the floor has been installed, you have to subject it to a thorough clean before it is used for the first time ('cleaning after construction work'). In doing so you remove the dirt and dust caused by the installation and prepare the floor for future use.

To clean naturally oiled MEISTER Longlife parquet flooring, use Dr. Schutz Wood Care diluted with water in a ratio of 1:200. To clean lacquered Longlife parquet flooring, use Dr. Schutz Wood and Cork Floor Cleaner. The floor should be wiped damp using a lint free cloth, which has been dipped in this solution and wrung out well. For commercial areas and areas which are particularly highly frequented, such as hallways, kitchens and open-plan living areas with direct access to outdoors, we recommend subsequent treatment with a suitable care oil for naturally oiled surfaces.

2

Regular cleaning

Normal vacuum cleaning or sweeping is perfectly adequate to remove everyday dirt. For regular cleaning and care, please use Dr. Schutz Wood Care or Dr. Schutz Wood and Cork Floor Cleaner diluted with water in a ratio of 1:200. Wipe the floor damp using a lint free cloth, which has been dipped in this solution and wrung out well, as with cleaning after construction work.

3

Refreshing and re-oiling (approx. once a year)

We recommend refreshing your naturally oiled MEISTER Longlife parquet flooring with Dr. Schutz H₂Oil as soon as the first signs of wear appear to keep it looking beautiful for a long time. If the floor has just a normal level of dirt, clean it beforehand using Dr. Schutz Wood Care (1:200); it is best to use a disk buffing machine for larger areas. Ask your retailer about hiring one! After the surface of the floor has dried completely, apply Dr. Schutz H₂Oil undiluted very thinly and evenly using a lint-free mop. Leave the area to dry for at least 12 hours before use. For highly frequented areas, we recommend regularly reapplying a suitable care oil.

To preserve the quality of lacquered and matt lacquered surfaces, we recommend using Dr. Schutz Wood and Cork Floor Polish matt.



Parquet meets variety



PD 200



PC 200



PD 550



PD 550



PD 450



PD 400

LOGLIFE PARQUET CLASSIC

Page 20

LOGLIFE PARQUET PENTA

Page 28

LOGLIFE PARQUET COTTAGE

Page 32



PS 500 PS 400 PS 300

LOGLIFE PARQUET RESIDENCE

Page 40



PC 400

LOGLIFE PARQUET STYLE

Page 44

Longlife parquet Classic

Back
to nature!

PD 200
PC 200



Longlife parquet Classic PD 200

- | 1-strip (plank)
- | naturally oiled
or matt lacquered surface
- | Longitudinal V-bevel
- | Click system: Mastercllic Plus
- | MEISTER Longlife warranty*
in living areas
- | Approx. 2.5 mm fine wood wear layer
- | Thickness: 13 mm
- | Effective measurement: 2200 × 180 mm



Longlife parquet Classic PC 200

- | 3-strip
- | naturally oiled or lacquered surface
- | Click system: Mastercllic Plus
- | MEISTER Longlife warranty*
in living areas
- | Approx. 2.5 mm fine wood wear layer
- | Thickness: 13 mm
- | Effective measurement: 2400 × 200 mm

Simply real.

Our sophisticated MEISTER surface treatments and finishes bring out the very best in the wood. The result is a natural-looking floor that still blends in perfectly with its surroundings. Because one thing is clear: We want you to feel comfortable!





**Simply
excellent.**





You can be certain: Quality is non-negotiable with us. Only truly high-quality parquet flooring does what it promises. That's why we rely on first-rate materials, flawless workmanship and 100% made in Germany quality. No compromises. That's why you will also receive a lifetime warranty on Longlife parquet Classic from MEISTER.

MEISTER





MEISTER

Longlife parquet Penta

Welcome to the
premiere league!

PD 550
PD 450



Longlife parquet Penta PD 550

- | 1-strip (plank)
- | naturally oiled surface
- | Longitudinal, irregular V-bevel
- | Click system: longitudinal Uniclic,
tongue and groove connection
at the end for gluing
- | MEISTER Longlife warranty*
in living areas
- | Approx. 2.5 mm fine wood wear layer
- | Thickness: 15 mm
- | Lengths: 3650 | 4200 mm
- | Widths: 220 | 260 mm



Longlife parquet Penta PD 450

- | 1-strip (plank)
- | matt lacquered surface
- | All-round V-bevel
- | Click system: Mastercllic Plus
- | MEISTER Longlife warranty*
in living areas
- | Approx. 2.5 mm fine wood wear layer
- | Thickness: 13 mm
- | Effective measurement: 2400 × 255 mm



'Penta' is anything but an understatement: Spaciousness sets the tone in this collection with lively and harmonious oak surfaces!



The elegance of oak.

Stylish oak surfaces radiate warmth and cosiness whilst creating elegant accents at the same time. The Penta PD 450 collection's matt lacquered planks are a perfect example of this: they impress with their natural colours and smooth look. The ideal parquet for style conscious interior design.

Longlife parquet Cottage

The classic plank.

PD 400



Longlife parquet Cottage PD 400

- | 1-strip (plank)
- | naturally oiled, matt lacquered or high-gloss lacquered surface
- | Longitudinal V-bevel or longitudinal, irregular V-bevel
- | All-round V-bevel in Champagne oak lively 8551 and Honey oak lively 8550
- | Click system: Masterclíc Plus
- | MEISTER Longlife warranty* in living areas
- | Approx. 2.5 mm fine wood wear layer
- | Thickness: 13 mm
- | Effective measurement: 2200 × 180 mm



Sometimes just that little bit more is required: more cosiness, more expanse, more ambience. The planks in the Longlife parquet 'Cottage' collection set the standard here. naturally oiled, matt or high-gloss lacquered, rustic or harmonious – the main thing is that it is right. For you and for your home.



Looking for a bit more (colour)?

Of course, oak still sets the tone in the world of parquet flooring – but are you feeling bold enough to try something different? Larch also makes excellent flooring. Expressive structures and an equally expressive variety of hues give this wood its special glow, whilst maintaining a highly aesthetic look.

MEISTER





My home is... my home.

Settle in! After a long day, it's just the thing, isn't it? Your home is your refuge, and one thing is most important: It should be exactly as you imagine it. Maybe you'd love an ultra-stylish look, with light oak planks from our Cottage collection. They highlight the character of a room with their fresh, modern, and simultaneously cosy, homely look and feel. By the way: The joints along the long sides make the planks feel more spacious.

Live
in the
now.





When older rooms meet modern furnishings, things get exciting – and attractive! The historic fireplace and the latest designer lamp? A perfect pair! Cool kitchen worktops and warm parquet flooring? Opposites attract and complement each other perfectly. And if the colours in the wood happen to pick up the colours of the furniture, all the better!

Longlife parquet Residence

A classic
reinterpreted.

- PS 500
- PS 400
- PS 300



Longlife parquet Residence PS 500

- | 1-strip (strip parquet for 'herringbone' look)
- | naturally oiled or matt lacquered surface
- | All-round, irregular V-bevel for naturally oiled surfaces
- | All-round V-bevel for matt lacquered surfaces
- | Click system: Quadroclac Plus
- | MEISTER Longlife warranty* in living areas
- | Approx. 2.5 mm fine wood wear layer
- | Thickness: 13 mm
- | Effective measurement: 710 × 142 mm



Longlife parquet Residence PS 400

- | 1-strip (strip parquet for 'herringbone' look)
- | lacquered surface
- | All-round V-bevel
- | Click system: Uniclic
- | MEISTER Longlife warranty* in living areas
- | Approx. 2.5 mm fine wood wear layer
- | Thickness: 11 mm
- | Effective measurement: 500 × 100 mm



Longlife parquet Residence PS 300

- | 1-strip (strip parquet)
- | naturally oiled or matt lacquered surface
- | All-round V-bevel
- | Click system: Masterclac Plus
- | MEISTER Longlife warranty* in living areas
- | Approx. 2.5 mm fine wood wear layer
- | Thickness: 13 mm
- | Effective measurement: 1187 × 142 mm

Herringbone is a classic among parquet installation. Spacious dimensions and contemporary surface finishes breathe fresh life into the floor. For those with a unique sense of design, this parquet flooring is the perfect unification of tradition and style. By the way, in other ways of laying too, such as square or lattice pattern.



Variety in living



Maxi format planks: The PS 300 Residence variant scores points with spacious strips and lays the foundation for a whole range of different living styles – and not just in small spaces!



MEISTER



Longlife parquet Style

Life
meets style.

PC 400



Longlife parquet Style PC 400

- | 3-strip
- | naturally oiled surface
- | Click system: Masterclik Plus
- | MEISTER Longlife warranty*
in living areas
- | Approx. 2.5 mm fine wood wear layer
- | Thickness: 13 mm
- | Effective measurement: 2400 × 255 mm



What makes modern floors? Style, style, style! The trend sets the tone in this collection and steadfastly shows how stylish (flooring) fashion can be.



The art of living. The art of home.

Your home is about living – and that should be obvious on sight. Intensive brushing and a planked look are what give this floor its impressive style. It's the perfect roommate; you can see that it's experienced, and it forgives a little misstep every now and then. It's purely relaxed.





Parquet on the wall

Creative wall design with wood flooring



One thing is clear: an elegant wood surface lasts longer than any wallpaper and is a quantum leap in exclusive living. Whether it's full-surface wall cladding or a specially accented area, as a continuation to the flooring or a separate design statement: wood on walls influences a room's atmosphere, sound and the lighting effect in a unique way.

When
the floor
goes
up the
walls.





Is it still the floor? Or already the wall? Lines blur when MEISTER takes the flooring up the wall. How does it work? Amazingly simply! A simple system of metal rails and fixing clips ensures that Longlife parquet also cuts a fine figure on the wall. Real life in the third dimension.

You can make your walls more beautiful with all Longlife parquet collections up to 13 mm thick.



Longlife parquet Premium

Surfaces

LONGLIFE PARQUET CLASSIC | PD 200

LONGLIFE PARQUET CLASSIC | PC 200

LONGLIFE PARQUET PENTA | PD 550

LONGLIFE PARQUET PENTA | PD 450

LONGLIFE PARQUET COTTAGE | PD 400


LONGLIFE PARQUET RESIDENCE | PS 500

LONGLIFE PARQUET RESIDENCE | PS 400


LONGLIFE PARQUET RESIDENCE | PS 300

LONGLIFE PARQUET STYLE | PC 400


Longlife parquet Classic




Arctic white rustic oak 8455 | brushed | naturally oiled | PD 200



Off-white rustic oak 8489 | brushed | matt lacquered | PD 200



Caramel rustic oak 8462 | brushed | matt lacquered | PD 200



Off-white rustic oak 8456 | brushed | naturally oiled | PD 200



Lyed-look rustic oak 8138 | brushed | matt lacquered | PD 200



Cream rustic oak 8325 | matt lacquered | PD 200

Longlife parquet Classic



Caramel rustic oak 8457 | brushed | naturally oiled | PD 200



Authentic rustic oak 8645 | brushed | naturally oiled | PD 200

Longlife parquet Classic


PD 200

- | 1-strip (plank) | Thickness: 13 mm
- | Naturally oiled | Effective measurement:
or matt lacquered surface 2200 × 180 mm
- | Longitudinal V-bevel
- | Click system: Masterclik Plus
- | MEISTER Longlife warranty*
in living areas
- | Approx. 2.5 mm fine wood wear layer


Longlife parquet Classic




Arctic white oak lively 8458 | lacquered | PC 200 ¹




White ash lively 8476 | lacquered | PC 200 ¹




White ash lively 8647 | brushed | naturally oiled | PC 200 ¹



Ash lively 8646 | brushed | naturally oiled | PC 200 ¹



Limed white oak lively 8480 | lacquered | PC 200 ¹




Off-white oak lively 8460 | lacquered | PC 200 ¹

Longlife parquet Classic




Cream oak lively 8326 | lacquered | PC 200¹




Off-white oak lively 8349 | brushed | naturally oiled | PC 200¹



Greige oak lively 8648 | brushed | naturally oiled | PC 200¹



Canadian maple harmonious 943 | lacquered | PC 200¹




Beech harmonious 913 | lacquered | PC 200¹



Canadian maple lively 934 | lacquered | PC 200¹



Beech lively 918 | lacquered | PC 200¹



Steamed beech harmonious 928 | lacquered | PC 200¹

Longlife parquet Classic



Steamed beech lively 8186 | naturally oiled | PC 200 ¹



Steamed beech lively 921 | lacquered | PC 200 ¹



Oak lively 8187 | brushed | naturally oiled | PC 200 ¹



Oak lively 903 | lacquered | PC 200 ¹




Oak harmonious 910 | lacquered | PC 200 ¹



American cherry tree harmonious 945 | lacquered | PC 200 ¹




Golden brown oak lively 8475 | brushed | naturally oiled | PC 200 ¹



American walnut distinctive 991 | lacquered | PC 200

Longlife parquet Classic



Smoked oak harmonious 8021 | brushed | lacquered | PC 200 ¹




American walnut harmonious 960 | lacquered | PC 200

Longlife parquet Classic

PC 200


- | 3-strip
- | Naturally oiled or lacquered surface
- | Click system: Mastercllic Plus
- | MEISTER Longlife warranty*
in living areas
- | Approx. 2.5 mm fine wood wear layer
- | Thickness: 13 mm
- | Effective measurement:
2400 × 200 mm

 = naturally oiled

Longlife parquet Penta | PD 550




White oak lively 8135 | brushed | naturally oiled ¹



Pure oak lively 8577 | brushed | naturally oiled ¹




Oak lively 8091 | brushed | naturally oiled ¹



Smoked oak lively 8131 | brushed | naturally oiled ¹

Longlife parquet Penta PD 550

- | | |
|--|---|
| 1-strip (plank) | Approx. 2.5 mm fine wood wear layer |
| Naturally oiled surface | Thickness: 15 mm |
| Longitudinal, irregular V-bevel | Lengths: 3650 4200 mm |
| Click system: longitudinal Uniclic,
tongue and groove connection at the
end for gluing | Widths: 220 260 mm |
| MEISTER Longlife warranty*
in living areas |  = naturally oiled |

MEISTER

Longlife parquet Penta | PD 450



Limed white oak lively 8594 | brushed | matt lacquered ¹



Off-white oak harmonious 8596 | brushed | matt lacquered | ¹



Pure oak lively 8595 | brushed | matt lacquered ¹



Light oak harmonious 8176 | brushed | matt lacquered | ¹



Oak harmonious 8171 | brushed | matt lacquered ¹



Oak lively 8593 | brushed | matt lacquered ¹

Longlife parquet Penta PD 450

- | | |
|---|------------------------|
| 1-strip (plank) | Thickness: 13 mm |
| Matt lacquered surface | Effective measurement: |
| All-round V-bevel | 2400 × 255 mm |
| Click system: Mastercllic Plus | |
| MEISTER Longlife warranty*
in living areas | |
| Approx. 2.5 mm fine wood wear layer | |

* Warranty according to the MeisterWerke warranty conditions at www.meister.com

¹ FSC®-certified


Longlife parquet Cottage | PD 400



Polar white oak harmonious 8560 | brushed | high-gloss lacquered ¹



Polar white oak harmonious 8081 | brushed | matt lacquered ¹




Limed polar white authentic oak 8558 | brushed | naturally oiled ¹




White washed oak harmonious 8384 | brushed | naturally oiled ¹




White washed oak canyon 8383 | brushed | naturally oiled ¹



Limed white oak lively 8542 | brushed | matt lacquered ¹



Pearl oak lively 8544 | brushed | matt lacquered ¹



Pure vital oak 8494 | brushed | naturally oiled ¹

Longlife parquet Cottage | PD 400



Canadian pure maple harmonious 8490 | matt lacquered ¹



Canadian maple lively 8024 | matt lacquered ¹



Limed off-white oak lively 8541 | brushed | matt lacquered ¹



Limed cream oak lively 8545 | matt lacquered ¹



Limed oak lively 8546 | matt lacquered ¹



Natural light oak lively 8552 | brushed | naturally oiled ¹




White oak harmonious 8090 | brushed | naturally oiled ¹




Pure vital oak 8492 | brushed | matt lacquered ¹


Longlife parquet Cottage | PD 400




Cream oak lively 8453 | brushed | matt lacquered ¹




Caribbean oak harmonious 8366 | brushed | matt lacquered ¹




Sahara oak harmonious 8364 | brushed | matt lacquered ¹




Nevada oak harmonious 8365 | brushed | matt lacquered ¹



Cream oak lively 8543 | brushed | matt lacquered ¹



Pure oak harmonious 8540 | brushed | matt lacquered ¹



Cream grey oak ambience 8222 | brushed | naturally oiled ¹



Cream grey oak ambience 8283 | brushed | matt lacquered ¹


Longlife parquet Cottage | PD 400




Champagne oak lively 8551 | scalloped edge structure | naturally oiled ¹



Light grey oak lively 8548 | brushed | matt lacquered ¹




Off-white oak lively 8454 | brushed | matt lacquered | ¹



Kalahari oak harmonious 8367 | brushed | matt lacquered ¹



Larch lively 8495 | brushed | naturally oiled ¹



Pure beech harmonious 8491 | matt lacquered ¹



Steamed beech lively 8033 | matt lacquered ¹



Oak harmonious 8027 | brushed | matt lacquered ¹

Longlife parquet Cottage | PD 400



Oak canyon 8302 | brushed | naturally oiled ¹



Authentic oak 8290 | brushed | naturally oiled ¹



Oak lively 8091 | brushed | naturally oiled ¹




Light brown oak lively 8549 | brushed | matt lacquered ¹



Oak lively 8028 | brushed | matt lacquered ¹



Vital oak 8377 | brushed | matt lacquered ¹



Smoked oak harmonious light 8289 | brushed | naturally oiled ¹



Honey oak lively 8550 | scalloped edge structure | naturally oiled ¹

Longlife parquet Cottage | PD 400



Authentic Bourbon oak 8556 | brushed | naturally oiled ¹



Pure smoked oak mountain light 8498 | brushed | naturally oiled ¹



Smoked oak mountain light 8307 | brushed | naturally oiled ¹



Golden brown larch lively 8496 | brushed | naturally oiled ¹



Mocha oak lively 8547 | brushed | matt lacquered ¹



Authentic brown-grey oak 8555 | brushed | naturally oiled ¹



Limed Terra oak canyon 8557 | brushed | naturally oiled ¹



Steamed oak canyon 8304 | brushed | high-gloss lacquered ¹

Longlife parquet Cottage | PD 400




Authentic antique brown oak 8554 | brushed | naturally oiled ¹



Light brown smoked oak mountain 8499 | brushed | naturally oiled ¹



American walnut lively 8275 | matt lacquered




Steamed oak canyon 8301 | brushed | naturally oiled ¹



Distinctive titanium silver oak 8221 | brushed | naturally oiled ¹



Distinctive silver grey oak 8305 | brushed | high-gloss lacquered ¹



Antique brown silver oak lively 8299 | brushed | naturally oiled ¹



Authentic olive grey oak 8553 | brushed | naturally oiled ¹

Longlife parquet Cottage | PD 400




Olive grey oak lively 8561 | brushed | high-gloss lacquered ¹




Dark brown oak canyon 8559 | brushed | naturally oiled ¹



Smoked oak lively 8303 | brushed | high-gloss lacquered ¹




Smoked oak harmonious 8288 | brushed | naturally oiled ¹




Smoked oak lively 8031 | brushed | matt lacquered ¹

Longlife parquet Cottage PD 400

- | | |
|--|---|
| 1-strip (plank) | in living areas |
| Naturally oiled, matt lacquered or high-gloss lacquered surface | Approx. 2.5 mm fine wood wear layer |
| Longitudinal V-bevel or longitudinal, irregular V-bevel | Thickness: 13 mm |
| All-round V-bevel in Champagne oak lively 8551 and Honey oak lively 8550 | Effective measurement: 2200 × 180 mm |
| Click system: Masterclik Plus | |
| MEISTER Longlife warranty* |  = naturally oiled |


Longlife parquet Residence | PS 500




Limed white natural oak 8570 | brushed | matt lacquered ¹




Authentic white oak 8563 | brushed | naturally oiled ¹



Natural pearl oak 8569 | matt lacquered ¹



Limed off-white natural oak 8571 | brushed | matt lacquered ¹



Natural cream oak 8572 | brushed | matt lacquered ¹



Vital oak 8562 | brushed | naturally oiled ¹




Natural oak 8568 | brushed | matt lacquered ¹



Natural mocha oak 8573 | brushed | matt lacquered ¹


Longlife parquet Residence | PS 500




Authentic antique brown oak 8566 | brushed | naturally oiled ¹



Authentic olive grey oak 8565 | brushed | naturally oiled ¹



Authentic Bourbon oak 8567 | brushed | naturally oiled ¹



Authentic steamed oak 8564 | brushed | naturally oiled ¹

Longlife parquet Residence PS 500

- | | |
|---|--|
| 1-strip (strip parquet for 'herringbone' look) | Click system: Quadroclac Plus |
| Naturally oiled or matt lacquered surface | MEISTER Longlife warranty* in living areas |
| All-round, irregular V-bevel for naturally oiled surfaces | Approx. 2.5 mm fine wood wear layer |
| All-round V-bevel for matt lacquered surfaces | Thickness: 13 mm |
| | Effective measurement: 710 × 142 mm |
| | 🔹 = naturally oiled |


Longlife parquet Residence | PS 400



Oak harmonious 8042 | lacquered ¹



Oak lively 8047 | lacquered ¹



Smoked oak lively 8031 | brushed | lacquered ¹

Longlife parquet Residence PS 400

| 1-strip (strip parquet for
'herringbone' look)
| Lacquered surface
| All-round V-bevel
| Click system: Uniclic
| MEISTER Longlife warranty*
in living areas

| Approx. 2.5 mm fine wood wear layer
| Thickness: 11 mm
| Effective measurement:
500 × 100 mm


* Warranty according to the MeisterWerke warranty conditions at www.meister.com

¹ FSC®-certified

Longlife parquet Residence | PS 300



White oak lively 8579 | Antique structure | naturally oiled ¹



Off-white oak lively 8574 | brushed | naturally oiled ¹

Longlife parquet Residence | PS 300



Pure oak lively 8577 | brushed | naturally oiled ¹



White washed oak lively 8236 | brushed | matt lacquered ¹



Limed cream oak lively 8582 | matt lacquered ¹




Pure oak harmonious 8583 | brushed | matt lacquered ¹




Limed crema oak lively 8575 | brushed | naturally oiled ¹



Limed oak lively 8581 | matt lacquered ¹



Oak harmonious 8027 | brushed | matt lacquered ¹



Oak lively 8247 | brushed | naturally oiled ¹

Longlife parquet Residence | PS 300



Oak lively 8028 | brushed | matt lacquered ¹



Authentic brown-grey oak 8578 | brushed | naturally oiled ¹




Authentic golden brown oak 8576 | brushed | naturally oiled ¹



American walnut lively 8044 | matt lacquered



Espresso oak lively 8580 | antique structure | naturally oiled ¹



Smoked oak harmonious 8052 | brushed | matt lacquered ¹

Longlife parquet Residence PS 300

- | | |
|---|---|
| 1-strip (strip parquet) | Approx. 2.5 mm fine wood wear layer |
| Naturally oiled
or matt lacquered surface | Thickness: 13 mm |
| All-round V-bevel | Effective measurement: 1187 × 142
mm |
| Click system: Masterclik Plus | |
| MEISTER Longlife warranty*
in living areas | |

 = naturally oiled

* Warranty according to the MeisterWerke warranty conditions at www.meister.com

¹ FSC®-certified


Longlife parquet Style | PC 400




White oak country 8584 | planked, vintage structure, brushed | naturally oiled ¹



White washed oak country 8585 | planked, brushed | naturally oiled



White oak country 8267 | planked, brushed | naturally oiled ¹



Pure oak country 8598 | planked, brushed | naturally oiled ¹



Oak country 8263 | planked, brushed | naturally oiled ¹



Limed brown oak country 8587 | planked, vintage structure, brushed | naturally oiled ¹



Antique brown oak country 8590 | planked, vintage structure, brushed | naturally oiled ¹



Dark brown antique oak country 8588 | planked, brushed | naturally oiled ¹

Longlife parquet Style | PC 400




Olive brown oak country 8589 | planked, brushed | naturally oiled ¹




Silver grey oak country 8586 | planked, vintage structure, brushed | naturally oiled ¹

Longlife parquet Style

PC 400

- | 3-strip
- | Naturally oiled surface
- | Click system: Masterclit Plus
- | MEISTER Longlife warranty*
in living areas
- | Approx. 2.5 mm fine wood wear layer
- | Thickness: 13 mm
- | Effective measurement:
2400 × 255 mm
- |  = naturally oiled

Further information on the surfaces can be found on www.meister.com or in our extensive 'LookBooks' at specialist trade locations – they display every surface in large format on an A3 page.



Accessories

With MEISTER you are sure that everything goes together! Underlay materials, skirting boards, profiles and ends – you get everything from one source, making your flooring into a long-lasting integrated furnishing solution that suits you perfectly.

Open to all styles – **white skirting boards.**



What does white have that other colours don't have? Openness that adapts to any style and the ability to effortlessly complement all other colours. That is why our skirting boards with white decor film enrich any living style and can be superbly combined with all floors. The large selection of different profile shapes enables you to also create classical and modern touches totally to your taste.



SKIRTING BOARD 8 PK PROFILE | PLAIN WHITE GLOSS 324 (DECORATIVE FILM)



SKIRTING BOARD 19 PK PROFILE | PLAIN WHITE GLOSS 324 (DECORATIVE FILM)



SKIRTING BOARD 8 PK PROFILE

Colourful and with plenty of character – **skirting boards you can paint yourself.**

—

In the colour of your wall? To match your furniture? Or completely different? It's up to you: design your skirting boards totally according to your own ideas! Covered in a film that can be painted, these mouldings are the perfect canvas for you to realise your artistic vision. Let your creativity run wild!

A balanced look – **with floor-matched skirting boards.**


—

You quite rightly would like pure harmony within your own four walls, and that's from the ground up. You can achieve this effortlessly with skirting boards coordinated to the colour or decor of your floor. The balanced interplay between the floor and moulding is rounded off by the impressively consistent decor from moulding to moulding. This is how good perfect harmony looks.



MEISTER

SKIRTING BOARD 2 PK PROFILE | PURE OAK NATURE 1104


Beautifully versatile: Skirting profiles at a glance




Skirting board
1 MK profile




Skirting board
2 PK profile



Skirting board
3 PK profile




Skirting board
5 PK profile




Skirting board
6 profile




Quarter round
7 profile




Skirting board
8 PK profile




Skirting board
9 PK profile



Skirting board
10 PK profile




Skirting board
11 PK profile




Skirting board
12 PK profile




Skirting board
13 PK profile




Skirting board
14 MK profile




Skirting board
15 MK profile




Skirting board
16 MK profile




Skirting board
17 profile



Skirting board
18 PK profile



Skirting board
19 PK profile




Skirting board
20 PK profile

'How to': Mouldings accessories

To ensure that even difficult corners and edges fit perfectly, MEISTER offers internal corners, external corners, end caps and connection pieces to match many mouldings. You can find the whole range at www.meister.com. Here, you will also find an overview of the different profiles available for aligning adjacent floor coverings or French windows, suitable radiator

rosettes, door stoppers and our recommended cleaning and protective care agents.



MEISTER Parquet stairs

Formal, elegant and a visual treat. Uniform stair design with original Longlife parquet: Flooring, steps, risers and stair edges made of the same wood. Edge profiles available in L and U versions. The profiles are available in all oak parquet flooring shades in the Penta PD 450 and Cottage PD 400 Longlife parquet collections (exceptions: smoked and steamed woods). We recommend that installation be performed by qualified specialist craftsmen.

**MEISTER**

The complete system counts: Underlay for high-quality flooring

Without good underlay, it's not a good floor. The underlay material has a significant influence on the durability of the flooring and is an important component of how the entire system functions as far as day-to-day wear is concerned. Premium-quality flooring may suffer damage when laid on poor-quality underlay. High-quality underlay, on the other hand, ensures that your flooring will bring you lasting enjoyment; it prevents damage to the click connections through optimum pressure stability, for example, whereas excessively soft underlay can have a significantly negative effect on fold-down connections. When choosing an underlay material, both the sub-flooring and the flooring to

be installed are important. Whether your sub-flooring is concrete, wooden floorboards, drywall or existing flooring such as tiles or stone:

With a comprehensive underlay range, MEISTER ensures that every MEISTER floor can be laid on your sub-flooring.


Sub-flooring Underlay	Silence 25 DB	Silence 20	Silence 15 DB	Twin Control	Foam film	PE film
Wooden planks	–	✓	–	–	✓	–
Wood based boards, OSB boards, drywall elements	–	✓	–	–	✓	–
Mineral subfloors (e.g. cement screed, anhydride screed)	✓	✓ with PE film	✓	✓	✓ with PE film	✓
Mastic asphalt screed	–	✓	–	–	✓	–
Existing coverings (e.g. ceramic tiles and boards, natural stone, plastic)	✓	✓ with PE film	✓	✓	✓ with PE film	✓

MEISTER

underlay materials:

Thanks to the special PUR mineral blend, MEISTER-Silence 25 DB, MEISTER-Silence 20 and MEISTER-Silence 15 DB are the perfect insulating underlay for effective sound absorption in the room and reduction of footfall transmitted to the rooms below. The high self-weight of the products also further improves their sound-absorbing properties. In the case of Silence 25 DB and 15 DB the vapour barrier is already integrated, eliminating the need to lay an additional PE film. This is also true for MEISTER Twin Control. The insulating underlay made from closed-cell, moisture-resistant, permanently elastic extruded polyurethane foam also features a practical, integrated self-adhesive strip along its length. With a roll length of 25 m, it is fast and easy to lay and additionally offers excellent footfall noise reduction. MEISTER foam film is an insulating underlay with a higher density than many other commercially available foam films; in combination with MEISTER PE-film, it provides optimum moisture protection.

All MEISTER underlay materials can be installed on underfloor heating. They comply with the technical bulletin provided by the European Producers of Laminate Flooring (EPLF) based on CEN/TS 16354. The Silence products also meet the requirements of the technical bulletin issued by the Multilayer Modular Flooring Association (MMFA): 'Underlay Materials under Multilayer Modular Floor Coverings (MMF) – Test Standards and Performance Indicators' for Class 1 (with HDF core).



1. MEISTER Silence 25 DB with integrated vapour barrier | 3 mm
2. MEISTER-Silence 20 | 2.5 mm
3. MEISTER Silence 15 DB with integrated vapour barrier | 2 mm

4. MEISTER Twin Control with integrated vapour barrier and adhesive strips | 2 mm
5. MEISTER foam film | 2 mm

Every day a masterpiece.

We have been impressing with innovative products, practical system solutions and attractive designs for more than 80 years. We are constantly developing ourselves, our company and our range. As we know: you expect the best all the time. And that's what we want to give you.

MEISTER is committed to its location.

We think internationally but remain a German company – over 650 employees guarantee »Made in Germany« premium quality day in day out.

MEISTER is a leading innovator.

Intelligent ideas make us the driving force behind the industry – over 200 patents and utility models are impressive evidence of this.

MEISTER accepts responsibility for the environment.

We act sustainably in all areas – careful product selection protects resources and the climate.

MEISTER stands for specialist retail.

We focus on reliable partnerships with specialist retail and specialist trade – our »100% PRO PRODUCER/ DEALER/ CRAFTSMEN« network guarantees first-class products, professional advice and expert assembly.



968007008A01 11|18



© 2018 by MeisterWerke Schulte GmbH

Colours and textures may vary due to printing conditions.

We reserve the right to make changes. No responsibility is assumed for errors.

MEISTER – a MeisterWerke Schulte GmbH brand
Johannes-Schulte-Allee 5 | 59602 Rùthen-Meiste | GERMANY
Phone +49 2952 816-0 | Fax +49 2952 816-66 | www.meister.com